Our first 40 years between innovation and design.

Cooking systems
E.ion System
Silence — NRS
No-Drop System
Design
Circle.Tech
Professional



falmec

Life inspired. Catalogue 2022/2023

Our first 40 years between innovation and design.

Cooking systems
E.ion System
Silence — NRS
No-Drop System
Design
Circle.Tech
Professional



falmec

Life inspired. Alphabetic index



	<u>A</u>
146	Alba Altair Aura
	<u>B</u>
	Built-in Brera New
	<u>c</u>
	Cielo Cover
	<u>D</u>
	Dama Down Draft
	<u>E</u>
182 132 63 136	Elektra Elios Elle Eolo E.ion Europa Exploit
	<u>F</u>
175	Flipper Flipper Green Tech Flipper NRS
	<u>G</u>
190 192 194 81 77 200	Ginevra Boston Gruppo Incasso Gruppo In. Green Tech Gruppo Incasso Murano Gruppo Incasso No-Drop Gruppo Incasso NRS Gruppo Incasso Pro Gruppo In. Touch Vision

		<u>r</u>
ba tair ura uilt-in eera <mark>New</mark>	116 130 200 120 155 140 134 68	Laguna Levante Light Line Pro Loop Luce Lumen Lumen Isola 175 Lumen Isola 175 NRS Lumen NRS
elo over		Lumière E.ion Lumina NRS
		<u>M</u>
ama own Draft	56 58 199	Manhattan Mare E.ion Marilyn E.ion Marte Pro Mercurio
ektra	154	Mira
ios le		Mira Black/White Mizar
olo E.ion uropa kploit		Move Move Green Tech
		<u>N</u>
ipper ipper Green Tech ipper NRS	94	Nube Nuvola Led 140 Nuvola Led 90
		<u>P</u>
inevra Boston ruppo Incasso ruppo In. Green Tech ruppo Incasso Murano ruppo Incasso No-Drop ruppo Incasso NRS ruppo Incasso Pro ruppo In. Touch Vision	40 142 70 141 143 82 71 144 149 150 151 149 148	Pharo Piano Plane Plane Black NRS Plane Black/White Plane Green Tech Plane No-Drop Plane NRS Plane Top Polar Polar Black/White Polar Rame/Oro Polar Light Polar X Prisma

		<u>Q</u>
	36 168 171	Quantum Pro New Quantum Pro Easy Ne Quasar Quasar Green Tech Quasar Top
75		<u>R</u>
75 75 NRS		Rialto Rubik E.ion
ı		<u>s</u>
'hite	101 90 119 124 126 108 110 60 96	Sintesi/Sintesi Black Sirio Skema Soffio Sophie Sophie Lamp Spazio Spazio 130 Spring E.ion Stella Stream
Tech		Ţ
		Tab Twister E.ion
10 0		<u>v</u>
IRS White	176 72 122 186 80	Vega Verso Verso NRS Vetra Virgola Virgola No-Drop Virgola NRS
wnite Tech		7

74 Zenith NRS
54 Zephiro E.ion
30 Zero/Zero Easy New
198 Zeus Pro


<u>Q</u>		INDUCTION HOBS
Quantum Pro New	42	59 cm New
Quantum Pro Easy New	44	78 cm New
Quasar	46	88 cm New
Quasar Green Tech Quasar Top	47	90 cm New
<u>R</u>		ACCESSORIES
Rialto	208	Motors
Rubik E.ion	210	Grease filters
	211	Anti-odour filters
S	216	Filters chart
_		Extensions
Sintesi/Sintesi Black		Conveyers
Sirio	220	Ducting accessories
Skema		
Soffio		TEOUNION NOTES
Sophie		TECHNICAL NOTES
Sophie Lamp	17	Installation tunes
Spazio Spazio 130		Installation types Maintenance
Spring E.ion		Ceiling hood installation
Stella		Technical drawings
Stream	224	recillical drawings
т		INSTALLATION
-		TYPES
Tab		
Twister E.ion	80	Ceiling
	104	Island/Suspended
<u>v</u>	138	Island/Wall
	152	Wall
Vega	178	Built-in
Verso	48	Worktop
Verso NRS		
Vetra		

TECHNOLOGY

- 52 E.ion System
 64 Silence NRS
 78 No-Drop System
 106 Circle.Tech
 128 Multi-Air

Life inspired. Photo index

Cooking systems



← Cooking systems



Induction hobs



Air treatment




⊯ Fion System

Island 63 Eolo E.ion 62 Lumière E.ion 60 Twister E.ion 55 Rubik E.ion 64 Zephiro E.ion	Wall/Island	56 Mare E.ion	50 Marihan Frian	55 Dubik Fion		
63 Eolo E.ion 62 Lumière E.ion 60 Twister E.ion 54 Zephiro E.ion		50 Mare E.IOn	50 Marilyn E.ion	33 RUDIK E.ION		
	olulia					
		63 Folo F ion	62 Lumière Fion	60 Twister F ion	54 Zephiro F ion	
		63 Eolo E.ion		60 Twister E.ion	54 Zephiro E.ion	


Hoods







No-□	Orop System			
Built-in	81 Gr. Incasso No-Drop	80 Virgola No-Drop		
Wall/Island	82 Plane No-Drop			

Life inspired.







Our first 40 years.

1981-2021: 40 years passed since our journey began. Years of successful dedication, research and growth, along which we have changed, remaining faithful to the values in which we believe and always with the same passion for our work: the driving force behind the success of Falmec. Our whole history has a single thread across time, generations, transformations in technology and lifestyles: it is the profound relationship that binds us to those who work with us, our territory as well as those who choose our products.

It is a legacy that comes from our identity as a family business, from our roots in the Italian manufacturing tradition and from the belief that it is possible to continue to grow sustainably, respecting the people and the world that surrounds us. Our innovations originate from this heritage of rural and human values, with an important goal: improving the quality of life and air in our homes.

Today we want to share with you our satisfaction for the achievements and the desire to face new challenges, towards the future.

Thanks to you and to all the people who have lived and continue to live with us this amazing trip.





Why Falmec.

Solutions for a new quality of life.

A company that, throughout the years, has become increasingly important and well-known in the world of kitchen aspiration systems. A technological and design evolution that lengths across decades and transforms new needs and lifestyles into concrete solutions that can improve the time spent at home.

Falmec style: perfect balance between aesthetic and function.

The company has been able to develop a real stylistic identity for many years balancing elegance, attention to details and ergonomics, without renouncing to functionality.

Thanks to research and collaboration with leading designers, Falmec gives life to a variety of products designed to interact at best in the most various stylistic contexts and offers the ideal solution for every environment, taste and desire





















The product's culture.

Constructive excellence.

Falmec projects come into existence within a completely integrated and full quality cycle: from the initial concept to the choice of materials, up to the final product. A constant search for perfection in every production phase that today leads Falmec to be the qualitative reference in the world of extractor hoods.

The real "Made in Italy".

Each Falmec product is designed, developed and made entirely in Vittorio Veneto, near Venice. In this area known as "inox valley", the craft tradition has evolved over the centuries. It Led to the creation one of the most important Italian industrial districts for steel processing. In Falmec the expertise of raw materials merges with unique human abilities and advanced industrial processes. A shared product culture, that is expressed in an amazing balance between creativeness and concreteness, to give life to excellent achievements in which every detail counts.





Life inspired.

Innovation for humans.

Falmec transforms the growing need for a healthy and comfortable environment at home in concrete solutions and products for the five senses: smell, sight, hearing, touch and also for the new cooking solutions which stimulate a different rage of tastes.

Developed on the basis of decades of experience in the field of aspiration, Falmec's products today reach new goals in order to improve the quality of life at home.

Pure air.
Breath well to live better.

Sometimes we do not even notice that within indoor environments the air can be polluted with bacteria, molds, mites and other harmful volatile substances.
Falmec offers cutting-edge technological solutions that guarantee people to always live in a feel-good atmosphere, and to breath the freshest air at home.

Silence. The importance of acoustic comfort.

The noise level of the environments in which we live is crucial but often overlooked factor. That's why Falmec has developed a technology that is able to make extractor hoods extremely quiet. NRS (Noise recduction system) reduces noise and makes it imperceptible, allowing people to enjoy the pleasure of cooking and being together.













Falmec air solutions.

Choosing the right hood is a fundamental step for the correct design of a kitchen that satisfies every need and aesthetic taste.

The study of the most suitable solution necessarily involves a preliminary assessment of the technical and aesthetic constraints of the kitchen where the hood will be inserted.

Thanks to its expertise in the field of extraction, today Falmec offers multiple technological and aesthetic proposals, suitable for every style and need, always proposing the best option.

Let yourself be inspired by the countless Falmec air solutions!

Types of installation.

Wall.

The wall hood is traditionally the most used option, perfect for optimal fume extraction, if chosen and installed correctly. The wall hood combines functionality and design, often representing a decorative element of separation and customisation of the kitchen.

Built-in.

Built-in hoods, integrated into the wall unit, grant linearity and optimization of the spaces in the kitchen; they are therefore recommended in environments with an essential design or where there is the need to maximize the space on the wall.

Corner.

Corner hoods are the perfect choice in compositions where the cooking area is situated in one of corners of the kitchen.
These hoods are traditionally characterised by linear and geometric shapes, easily inserted into different contexts.











Island.

The kitchen is more and more of a convivial space, central to the home project, integrating with the living environment. An Island hood becomes a fundamental element from a functional and design point of view. It performs its function of suction and lighting, adding value and personality to the kitchen itself. Falmec offers a wide choice of island hoods, with unique solutions, in ducted or recirculating versions, to always guarantee the best air.

Suspended.

Falmec suspension hoods are distinguished by their unique design, featuring high-quality finishes and materials as well as ambient light to create a unique atmosphere in the kitchen. With no need for pipes or flues, suspension hoods allow complete freedom of installation and significant energy saving. Equipped with innovative filter technology, Falmec's filter solutions guarantee excellent results when it comes to absorbing odours and improving air quality at home.

Ceiling.

Falmec's ceiling hoods are designed to fit perfectly into any living environment. Thanks to their clean and minimal shapes and their discreet visual impact, they are suitable for open spaces where the kitchen area integrates with the living space.

These solutions collect the cooking fumes that rise naturally and are then captured directly in the ceiling. The hood can be integrated into a false ceiling or installed directly in the ceiling, in recirculating mode.



Integrated cooking systems.

Perfect for minimalist designs where absence of volume is key, Falmec integrated cooking systems meet the most demanding design requirements, offering extraction efficiency, functionality and ease of installation, both in extraction and recirculation mode, thanks to Carbon.Zeo technology.

These systems feature the intelligent integration of the extractor element within the cooking area, offering two functions in a single product: fumes are collected, captured and filtered at their source. Falmec models are equipped with an extraction system with an opening flap to enhance aerodynamic air flow, at the same time preserving clean lines.

Down Draft.

The hood is integrated into the worktop, and emerges for use by means of a motorised system. It extracts cooking fumes and vapours near to their source, at the same time lighting the worktop. This system provides great flexibility and versatility when it comes to installation, including different motor options, which can be installed in the hood or in a remote position.

To achieve the best results from this type of hood, we advise that it is used with panoramic in-line hobs.









Cooking systems.

Perfect integration, for a new kitchen lifestyle.

Integrated cooking system.


Falmec has designed and created a range of products that integrate cooking and extraction in a single body, inspired by a concept of total minimalism, ergonomics, design and high efficiency. Integrated solutions that incorporate all of the experience by Falmec in extraction, together with cutting-edge cooking technologies, create products in tune with contemporary trends and lifestyles. Fitted with powerful and efficient motors, but at the same time extremely quiet, Falmec integrated cooking systems guarantee optimum performance. Recirculation mode uses exclusive Falmec Carbon.Zeo technology, providing outstanding odour elimination and noticeably reducing cooking vapours.

Flap system.

The Flap System by Falmec is a system of electronic moving flaps, designed to improve the aerodynamics of the incoming air and increase the suction speed of the fumes, captured downwards rather than upwards as in traditional hoods.

Total integration.

Once closed, the flaps disappear totally, for a completely flat and linear work surface, hiding the filters and the operating elements.







Life inspired.



Brera. Invisible technology.

On the worktop, Brera presents itself as an essential element that hides a concentration of technology, with excellent suction, silence, and energy efficiency performance.

Total integration.

The cooking area and the suction area are joined by monochromatic glass, differentiated only by a narrow groove between the two spaces. When in operation, the back opens automatically to suck in the cooking emissions.

Flex surface.

Thanks to the "Flex surface" technology, the induction works uniformly on all the cooking zones, which can be joined to guarantee maximum versatility in the use of pots of different types and sizes.

Optimum filtration with Carbon.Zeo technology.

Brera's filtering version comes with Carbon.Zeo filters that can be inserted directly from above, with maximum ease of maintenance.



Brera New

Motorised glass flap system

Schott black ceramic glass

•Black steel extraction area frame with 800 m³/h

surface scratchproof system

•Brushless motor

·Slider touch control with display

 Auto mode (suction speed automatically adjusts to cooking

power) •4 cooking areas with Flex Surface

technology

•Double bridge
•9 cooking levels + Boost

 Automatic pot detection Automatic cut-off timer

•Timer/minute minder

•Keep Warm function

·Safety switch off/Safety lock function

•Residual heat indicator

Carbon.Zeo filter saturation warning

 Power level management, 3 levels available: 2.8 kw,

3.5 kw, 7.4 kw.

Metallic grease filter

Worktop - 89 cm

9 levels + boost

Energy Class

Installation

Min. speed

Max. speed

Weight

28 kg

46 dB(A)re1pW

64 dB(A)re1pW

Worktop - 89 cm 800 m³/h


8034122900353


Flush/Half-flush

Sound pressure level

Filters

Motor and Control







Front view

828

Side view







Top view

Filter: Carbon.Zeo KACL.106

Optional accessories















Zero. Invisible technology.

With its elegant play of forms, Zero stands out thanks to the precision of its clean and flat design, which allows it to be perfectly integrated into the kitchen worktop.

Total integration.

The central suction part is characterized by a glass element that can be positioned according to the four cooking zones, catering for different needs while permitting it to accommodate all types of pot.

Optimum filtration with Carbon.Zeo technology.

Brera's filtering version comes with Carbon.Zeo filters that can be inserted directly from above, with maximum ease of maintenance.

Flex surface.

Thanks to the "Flex surface" technology, the induction works uniformly on all the cooking zones, which can be joined to guarantee maximum versatility in the use of pots of different types and sizes.



Life inspired.

Zero Easy New

- •Carbon.Zeo filter (included)
- removable from top
- ·Black ceramic glass
- •Energy Class A+
- 4 cooking zone
- •Air slide system to imporve scution performace
- •Slider touch control with display
- Auto mode (suction speed
- automatically adjusts to cooking power)
- •Automatic bridge function
- •9 cooking levels + Boost
- Automatic pot detection
- Pause function recall
- Automatic cut-off timer •Stand alone timer
- •Timer for cooking zone
- Keep Warm function
- •Safety switch off/Safety lock function
- •Residual heat indicator
- •Carbon.Zeo filter saturation warning
- Liquid collector tray
- •Power level management,
- from 2.8 kw to 7.4 kw
- •Rear outlet
- Brushless motor

Worktop - 84 cm **Motor and Control**


9 levels + boost


Metallic grease filter Installation


46 dB(A)re1pW Max. speed

28 kg

Worktop - 84 cm







Zero New

- •Energy Class A+
- •4 cooking zone •Air slide system to imporve scution performace
- ·Slider touch control with display Auto mode (suction speed
- automatically adjusts to cooking power)
- •Automatic bridge function
- •9 cooking levels + Boost
- Automatic pot detection
- •Pause function recall
- Automatic cut-off timer Stand alone timer
- •Timer for cooking zone
- •Keep Warm function
- ·Safety switch off/Safety lock function •Carbon.Zeo filter saturation warning
- Residual heat indicator
- Liquid collector tray
- •Power level management, from 2.8 kw to 7.4 kw
- Brushless motor
- Ducting included
- •Carbon.Zeo filter (optional)

Optionele accessoires

Carbon.Zeo filter underbase KACL.930

Carbon fillter h60 underbase KACL.951

Carbon.Zeo filter (integrated in the hood) KACL.965

Underbase filter grid

KACL.955

600 m³/h **Energy Class**


Filters

Flush/Half-flush

Sound pressure level Min. speed

64 dB(A)re1pW Weight

8034122900940



Top view

Worktop - 84 cm **Motor and Control** 600 m³/h

9 levels + boost **Energy Class**


Filters

Metallic grease filter Installation

Flush/Half-flush Sound pressure level Min. speed

46 dB(A)re1pW Max. speed 64 dB(A)re1pW Weight

28 kg Worktop - 84 cm 600 m³/h






Front view


Over top installation Cutout size







Top view









Life inspired.



Quantum. Technological elegance.

Quantum, an indivisible element by definition, embodies the concepts of elegance, minimalism and practicality of use. The central extraction section, embellished by a thin frame in matte black steel. ensures a chromatic and aesthetic continuity throughout the cooking area, thus elegantly placing itself in every environment. Designed to ensure maximum effectiveness and practicality, Quantum in "auto" mode automatically adjusts the suction speed according to requirements. The extraction element, composed of two glass flaps that open automatically, optimises the aerodynamics of the incoming air and improves the suction performance, while allowing easy maintenance and cleaning.

Elegance and practicality.

Continuity of colour and materials along the hob is made possible by an extraction system fitted with a glass flap that blends in harmoniously with the cooking area and also allows easy cleaning.

Efficiency and quietness.

A powerful, efficient brushless motor, combined with research into airflow and the use of insulating materials, allows optimum extraction performance with minimum noise.

Easy installation and minimal encumbrance.

Cooking and extraction are enclosed in a single body that allows easy installation. The ducting system, positioned on the rear, also makes it possible to maximise the space in the cabinet. **Optimum filtration with** Carbon.Zeo technology.

In the recirculating version, Carbon. Zeo technology provides excellent performance in the reduction of odours and moisture from cooking fumes through the use of Zeolite.

Auto mode.

In this mode. Quantum automatically regulates the extraction power as required, guaranteeing the right ratio between energy consumption and extraction power at all times.

Flex surface.

Thanks to the "Flex surface" technology, the induction works uniformly on all the cooking zones, which can be joined to guarantee maximum versatility in the use of pots of different types and sizes.





Quantum Pro Easy New

- •Carbon.Zeo filter (included)
- •Motorised glass flap system Schott black ceramic glass
- •Black steel extraction area frame with surface scratchproof system
- Brushless motor
- •Slider touch control with display
- Auto mode (suction speed automatically adjusts to cooking power)
- •4 cooking areas with Flex Surface technology
- Double bridge
- •9 cooking levels + Boost
- •Automatic pot detection
- Automatic cut-off timer
- •Timer/minute minder
- •Keep Warm function •Safety switch off/Safety lock
- function
- •Residual heat indicator •Carbon.Zeo filter saturation
- •Power level management,
- 3 levels available: 2.8 kw,
- 3.5 kw, 7.4 kw.

Worktop - 84 cm

Motor and Control 600 m³/h

9 levels + boost **Energy Class**

Filters

Metallic grease filter Installation Flush/Half-flush

Sound pressure level Min. speed

46 dB(A)re1pW Max. speed 64 dB(A)re1pW


Weight 28 kg


Optional accessories


Kit frame Quantum Pro Black

KACL.155#NF

Worktop - 84 cm 600 m³/h 8034122900346







Quantum Pro New

- ·Motorised glass flap system Schott black ceramic glass
- Black steel extraction area frame with surface
- scratchproof system
- Brushless motor
- ·Slider touch control with display
- •Auto mode (suction speed automatically adjusts to cooking power)
- •4 cooking areas with Flex
- Surface technology
- Double bridge
- •9 cooking levels + Boost Automatic pot detection
- •Automatic cut-off timer
- Timer/minute minder
- •Keep Warm function
- •Safety switch off/Safety lock function
- •Residual heat indicator
- Carbon.Zeo filter saturation warning
- •Power level management,
- 3 levels available: 2.8 kw, 3.5 kw, 7.4 kw.
- •Carbon.Zeo filter (optional)

Worktop - 84 cm

Motor and Control 600 m³/h

9 levels + boost **Energy Class**

Filters

Metallic grease filter Installation

Flush/Half-flush Sound pressure level

Min. speed 46 dB(A)re1pW Max. speed

64 dB(A)re1pW Weight 28 kg

Optional accessories

Kit frame Quantum Pro Black


KACL.155#NF

Filter: Carbon.Zeo KACL.930

Filter: cellular charcoal, h60mm KACL.951

Base grid filter h60 mm KACL.955

Worktop - 84 cm 600 m³/h 8034122900339



Cutout size

Cutout size



Life inspired.



Sintesi. The synthesis of excellence.

Sintesi features a clean, geometric design where no detail is superfluous. A solution completely integrated into the worktop with extraction equipment conceaLed in the rear section. This brings greater practicality to the cooking area and at the same time maximises the space available within the kitchen units. Sintesi ensures maximum quietness and energy efficiency using an innovative brushless motor. A product that combines depth of experience and "knowhow" in the field of extraction with cutting-edge cooking technology, representing the synthesis of "Made in Falmec" excellence.

Rear extraction.

Cooking fumes are extracted from the rear area, along the different cooking zones.

Total integration.

The hood is completely integrated within the worktop thanks to flush installation and folding flaps, to leave a completely flat work surface with no ridges or other raised elements.

Efficiency and quietness.

A powerful, efficient brushless motor, combined with research into airflow and the use of insulating materials, allows optimum extraction performance with the minimum noise.

Ease of installation and best use of space.

Cooking and extraction are combined in a single element, making installation easy, with no need to adapt the hob or use sealants for flush installation. The hood develops vertically, in the rear section, maximising the space available in the kitchen cabinets.

Uniform cooking surfaces.

A flat, streamlined surface, with no raised elements, for more practical cooking on different zones and easier cleaning.

Optimum filtration with Carbon.Zeo technology.

In the recirculating version, Carbon. Zeo technology provides excellent performance in the reduction of odours and moisture from cooking fumes through the use of Zeolite.

Auto mode.

In this mode, Sintesi automatically regulates the extraction power as required, guaranteeing the right ratio between energy consumption and extraction power at all times.

Flex surface.

Thanks to the "Flex surface" technology, the induction works uniformly on all the cooking zones, which can be joined to guarantee maximum versatility in the use of pots of different types and sizes.



about Sintesi.















Sintesi/Sintesi Black

- •Motorised flap system
- •Stainless steel AISI 304 frame or steel with scratch-resistant
- matt black treatment
- Brushless motor Schott black ceramic glass
- •Auto mode (suction speed automatically adjusts to cooking power)
- Touch control with display
- •4 cooking areas with Flex
- Surface technology
- •Double bridge
 •9 cooking levels + Boost
- Pot detection sensor Automatic cut-off timer
- •Timer/minute minder
- •Keep Warm function •Safety switch off/Safety lock
- function •Residual heat indicator
- Metallic filter saturation warning
- •Carbon.Zeo filter saturation warning

Worktop - 90 cm Size 88 x 51 cm

Motor and Control 600 m³/h

9 speed + boost Filters

Metallic Grease Filter Installation

Flush/Half-flush **Energy Class**

Max. Power

150 W (suction) Sound pressure level Min. speed

48 dB(A)re1pW Max. speed

66 dB(A)re1pW Weight 29 Kg

Worktop - 90 cm 8034122358918

Worktop - 90 cm Black - 600 m³/h 8034122900278

Optional accessories


Filter: Carbon.Zeo KACL.930 Filter: cellular charcoal h60 mm KACL.951

Base grid filter h60 mm KACL.955

Stainless Steel/Black Mat











Examples:

Ducted version socket min. height 100 mm.


Recirculating version socket min. height 60 mm.



Rectangular ducting (KACL.352)





Under base h60 filter (KACL.951)



Under base Carbon.Zeo filter (KACL.930)

41









Induction hob - 59 cm New

- •Dialogue system: hood control (lighting and motor with automatic mode)
- •Touch slider control with display
 •Bridge function with automatic detection
- •Automatic pot detection
 •Chef function
- Heat-Up function
 Keep Warm function
- •Pause function Recall
- •Independent timer for each
- cooking zone
 •Timer/minute reminder
 •Power level management: minimum 2.8 kw, maximum 7.4 kw.

Induction hob - 59 cm

Dimensions


51 x 58 cm Voltage/Frequency 220-240V 50/60 Hz


Min. power

2,8 kW

Max. power 7,4 kW Installation

Flush/half flush











Induction hob - 78 cm New

- •Dialogue system: hood control (lighting and motor with automatic mode)
- •Touch slider control with display
 •Bridge function with automatic
- detection
- •Automatic pot detection
 •Chef function
 •Heat-Up function
 •Keep Warm function

- Pause function Recall
 Independent timer for each
- cooking zone
 •Timer/minute reminder
 •Power level management:
- minimum 2.8 kw, maximum 7.4 kw.

Induction hob - 78 cm


Dimensions


51 x 78 cm Voltage/Frequency 220-240V 50/60 Hz Min. power

2,8 kW

Max. power 7,4 kW Installation

Flush/half flush











Induction hob - 88 cm New

- •Dialogue system: hood control (lighting and motor with automatic
- •Touch slider control with display •Bridge function with automatic
- detection
- Automatic pot detection Chef function
- Heat-Up function
- •Keep Warm function
- Pause function Recall
- Independent timer for each cooking zone
- •Timer/minute reminder •Power level management:
- minimum 2.8 kw, maximum 7.4 kw.

Induction hob - 88 cm

Dimensions

40 x 88 cm

Voltage/Frequency 220-240V 50/60 Hz


Min. power


Max. power

7,4 kW Installation

Flush/half flush









Induction hob - 90 cm New

- •Dialogue system: hood control (lighting and motor with automatic
- •Touch slider control with display •Bridge function with automatic detection
- Automatic pot detection
- Chef function
- Heat-Up function
- Keep Warm function
 Pause function Recall •Independent timer for each
- cooking zone
- •Timer/minute reminder •Power level management:
- minimum 2.8 kw, maximum 7.4 kw.

Induction hob - 90 cm


Dimensions 51 x 90 cm


Voltage/Frequency 220-240V 50/60 Hz

Min. power 2,8 kW Max. power

7,4 kW Installation Flush/half flush

8034122900926





Worktop. Down Draft.

The hood is integrated into the worktop, and emerges for use by means of a motorised system. It extracts cooking fumes and vapours near to their source, at the same time lighting the worktop. This system provides great flexibility and versatility when it comes to installation, including different motor options, which can be installed in the hood or in a remote position.

To achieve the best results from this type of hood, we advise that it is used with panoramic in-line hobs.







Down Draft

- Scotch Brite stainless steel (AISI 304)
- •Tempered white or black glass or steel panel
- •Perimeter suction
- •Touch control + 24 h function Led lighting
- •Top filter removable and
- washable
- Motor not included

Available motors KACL.798#41F

Motor 950 m³/h 8034122709833

KACL.784#46F Slim motor 800 m³/h

8034122708218 KACL.770#41F

Motor brushless 1100 m³/h

8034122710211 KACL.797#4AF Motor 1300 m³/h

8034122709628 KACL.786#41F

External extractor 1000 m³/h 8034122707433

KACL.796#4AF External extractor 1500 m³/h

8034122709611

Falmec recommends using this hoods with panoramic hobs.

Ducted version 90/120 cm Motor

See available range below Control

3 speed + boost Touch control

Lighting Led stripe 14 W (5500 K)

Energy Class 90 cm, 950 m³/h: B

120 cm, 950 m³/h: C Sound pressure level Min. speed

51 dB(A)re1pW Max. speed 64 dB(A)re1pW Minimum distance

from cooker top Weight (without motor)

90 cm version: 37 kg 120 cm version: 44 kg

Recirculating version 90/120 cm Motor

Slim Motor Control

3 speed + boost

Touch control Lighting

Led stripe 14 W (5500 K) **Energy Class**

600 m³/h: C Sound pressure level Min. speed 50 dB(A)re1pW

Max. speed 60 dB(A)re1pW Minimum distance

from cooker top

Weight (without motor) 90 cm version: 37 kg 120 cm version: 44 kg

Down Draft - 90 cm

8034122348087

Down Draft - 90 cm

8034122348100 Down Draft - 90 cm

8034122348094 Down Draft - 120 cm

8034122348544

Down Draft - 120 cm Black 8034122348551 Down Draft - 120 cm

8034122348582

Optional accessories


Filter: Carbon.Zeo underbase KACL.930 Filter: cellular charcoal h60 KACL.951

Base grid filter h60 KACL.955


Remote control 105080053

Setup examples.


Ducted version (onboard 950 m3/h motor)



Side view, motor on the front



Side view, motor on the back




Re-circulation version (Slim motor) with Carbon.Zeo Under base filter (KACL.930)

823/1123


Cut-out size

90 cm: 98 mm x 810 mm


120 cm: 98 mm x 1110 mm



Side view, Slim motor on the back








Base board grid, included in the filter kit KACL.930





Cut-out size



Base board grid, for use with filter KACL.951 h60 (optional)

51

_____53



Cut-out size









E.ion System

E.ion System.

The only hoods that purify the air.

Falmec offers unique technology that allows you to recreate an ionic atmosphere in your kitchen, by means of controlLed bipolar ionisation.

lonic atmospheres naturally eliminate unpleasant odours and also re-establish optimal ionic equilibrium, with noticeable benefits for your physical and psychological wellbeing.













A sensor that measures air quality.

E.ion System hoods have a specially-developed sensor in the shape of the leaf to detect the presence of volatile organic compounds (VOCs), odorous gases, formaldehyde, cigarette smoke and all other pollutants found in the air. It is therefore an excellent indicator for measuring air quality in your home. This information is indicated by the colour of the leaf which gradually turns from yellow to green as the atmosphere improves.







Automatic mode.

Thanks to the automatic function, whenever the sensor detects a deterioration in air quality in your home, the hood activates automatically, purifying and sanitising the air.

Certified efficiency.

ControlLed bipolar technology and its adaptation for Falmec extraction systems are protected under international patent and certification by independent bodies. Tests carried out at the Universities of Udine and Milan according to standard Uni 13725:2004 have demonstrated a certifiable reduction of up to 95% of unpleasant odours.















Zephiro E.ion

- •White glass satin finish ·lonising system for air
- purification •Perimeter suction with
- tempered glass panel
- •Touch control + air quality
- indicator
- Automatic mode Led lighting
- •Combined regenerable
- Carbon.Zeo filter
- Top filter removable and washable

Optional accessories

Wire rope: Adjustable up to 240 cm steel KACL.140

Island - 67 cm **Motor and Control**

450 m³/h 3 speed + boost

Touch control + leaf sensor Anti-odour filters

Carbon.Zeo filter

101078810

Lighting

Led 4x1,2 W (3200 K) Sound pressure level

Min. speed

56 dB(A)re1pW Max. speed 63 dB(A)re1pW

Minimum distance

from cooker top Gas hob: 60 cm

Electric hob: 52 cm

Weight 32 kg

Island - 67 cm White - 450 m³/h 8034122347073







E.ion System



Painted white ceiling support, adjustable up to 110 cm steel wire rope included.

Rubik E.ion

- •White or black tempered glass ·lonising system for air
- purification •Perimeter suction with
- tempered glass panel •Touch control + air quality
- indicator Automatic mode
- Led lighting Combined regenerable
- Carbon.Zeo filter •Top filter, removable and
- washable

Optional accessories

Wire rope: Adjustable up to 240 cm steel KACL.140

Wall - 42 cm Island - 42 cm **Motor and Control** 450 m³/h

Wall - 42 cm

Black - 450 m³/h

Island - 42 cm

Island - 42 cm

Black - 450 m³/h

8034122347042

White - 450 m³/h

8034122347035

8034122347974

3 speed + boost Touch control + leaf sensor

Anti-odour filters Carbon.Zeo filter 101078810


Lighting Led 4x1,2 W (3200 K) Sound pressure level


Min. speed 56 dB(A)re1pW Max. speed 63 dB(A)re1pW

Minimum distance from cooker top Gas hob: 60 cm Electric hob: 52 cm

Weight Wall version: 35 kg Island version: 32 kg Wall - 42 cm White glass/Black glass White - 450 m³/h 8034122347967

Design Studio Rigo





- 1 Support for wall version
- 2 Painted white ceiling support for island version, adjustable up to 110 cm steel wire rope included.



Mare E.ion

- White or black glasslonising system for air purification
- •Perimeter suction with
- tempered glass panel •Touch control + air quality
- indicator
- Automatic mode Led lighting
- •Combined regenerable
- Carbon.Zeo filter
 •Top filter removable and washable

Optional accessories

Wire rope: Adjustable up to 240 cm steel KACL.140

Wall – 66 cm Island – 66 cm Motor and Control 450 m³/h

3 speed + boost

Touch control + leaf sensor Anti-odour filters

Carbon.Zeo filter 101078810

Lighting Led 4x1,2 W (3200 K)

Sound pressure level Min. speed 56 dB(A)re1pW


Max. speed 63 dB(A)re1pW


Minimum distance from cooker top Gas hob: 60 cm Electric hob: 52 cm Weight Wall version: 32 kg Island version: 29 kg

Wall - 66 cm White - 450 m³/h 8034122347936 Wall - 66 cm Black - 450 m³/h 8034122347943

Island - 66 cm White - 450 m³/h 8034122346991 Island - 66 cm Black - 450 m³/h 8034122347004 White glass/Black glass







Painted white ceiling support for island version, adjustable up to 110 cm steel wire rope included.



E.ion System

Marilyn E.ion

- ·Handmade white ceramic
- Ionising system for air purification •Perimeter suction with
- tempered glass panel •Touch control + air quality
- indicator
- Automatic mode
 Led lighting
 Combined regenerable
- Carbon.Zeo filter •Top filter, removable and washable

Optional accessories

Wire rope: Adjustable up to 240 cm steel KACL.140

Wall - 67 cm Island - 67 cm **Motor and Control**

450 m³/h 3 speed + boost Touch control + leaf sensor

Anti-odour filters
Carbon.Zeo filter 101078810

Lighting Led 4x1,2 W (3200 K) Sound pressure level

Min. speed 56 dB(A)re1pW Max. speed


63 dB(A)re1pW Minimum distance from cooker top

Gas hob: 60 cm Electric hob: 52 cm Weight Wall version: 36 kg

Island version: 33 kg


Wall - 67 cm White - 450 m³/h 8034122347929

Island - 67 cm White - 450 m³/h 8034122346977



Ceramic





- Support for wall version.
 Painted white ceiling support for island version, adjustable up to 110 cm steel wire rope included.





Twister E.ion

- •Aluminium, titanium or black finish
- Ionising system for air purification
 Perimeter suction with
- tempered glass panel
 •Touch control + air quality indicator
- Automatic mode
- Led lighting
- •Combined regenerable
- Carbon.Zeo filter
 •Top filter, removable and washable

Optional accessories

Wire rope: Adjustable up to 240 cm steel KACL.140

Island - 45 cm Motor and Control 450 m³/h

3 speed + boost Touch control + leaf sensor

Anti-odour filters

Carbon.Zeo filter 101078810 **Lighting** Led 4x1,2 W (3200 K)

Sound pressure level

Min. speed 56 dB(A)re1pW Max. speed

63 dB(A)re1pW Minimum distance from cooker top Gas hob: 60 cm

Electric hob: 52 cm

Weight 23 kg

Island - 45 cm Titanium - 450 m³/h 8034122347066

Island - 45 cm Black - 450 m³/h 8034122349015 Titanium/Black







Painted white ceiling support, adjustable up to 110 cm steel wire rope included.





Lumière E.ion

- •White tempered glass ·lonising system for air
- purification
- •Perimeter suction with tempered glass panel
- •Touch control + air quality
- indicator
- Automatic mode
- Led lighting
- •Combined regenerable Carbon.Zeo filter
- •Top filter, removable and washable

Optional accessories

Wire rope: Adjustable up to 240 cm steel KACL.140

Island - 67 cm **Motor and Control** 450 m³/h

3 speed + boost

Touch control + leaf sensor Anti-odour filters

Carbon.Zeo filter

101078810

Lighting Led 4x1,2 W (3200 K) Sound pressure level

Min. speed 56 dB(A)re1pW Max. speed


63 dB(A)re1pW Minimum distance from cooker top

Gas hob: 60 cm Electric hob: 52 cm

Weight 32 kg

Island - 67 cm White - 450 m³/h 8034122346960 White tempered glass







Painted white ceiling support, adjustable up to 110 cm steel wire rope included.

Eolo E.ion

- •White or black glass ·lonising system for air
- purification •Perimeter suction with
- tempered glass panel •Touch control + air quality
- indicator Automatic mode
- Led lighting
- Combined regenerable Carbon.Zeo filter
- •Top filter, removable and washable

Optional accessories

Wire rope: Adjustable up to 240 cm steel KACL.140

Island - 45 cm **Motor and Control**

450 m³/h

3 speed + boost Touch control + leaf sensor

Anti-odour filters Carbon.Zeo filter

101078810 Lighting

Led 4x1,2 W (3200 K) Sound pressure level Min. speed

56 dB(A)re1pW Max. speed

63 dB(A)re1pW Minimum distance from cooker top

Gas hob: 60 cm Electric hob: 52 cm Weight

30 kg

White glass/Black glass

Design Studio Rigo

Island - 45 cm

White - 450 m³/h

8034122347011

Island - 45 cm

Black - 450 m³/h

8034122347028







Painted white ceiling support, adjustable up to 110 cm steel wire rope included.

Silence - NRS.

Finally, a quiet hood.

Using innovative NRS technology, Falmec has created a product that combines enhanced performance with noticeably improved home comfort. While there are figures that provide scientific proof of the excellent results achieved, the most important point is that the hood can barely be heard.



You won't just hear the difference - you'll live it.

NRS (Noise Reduction System) is the system developed by Falmec in collaboration with laboratories specialising in fluid dynamics. It has enabLed us to create a collection of incredibly quiet hoods, with considerable improvements in quality of life in the kitchen.

NRS technology allows you to cook, work, chat and listen to music without the noise typically produced by hoods, while simultaneously maintaining excellent extraction performance.

Up to 86% reduction in sound levels.

Thanks to research into airflow and the specialist materials used, NRS hoods reduce noise to an extremely low, almost imperceptible level. The NRS system gives the best results in terms of the removal of cooking fumes, but can also be used in recirculation mode with a long-lasting, regenerable high-performance carbon filter.










Diagram of internal flows in an NRS hood. Soundproofing the motor chamber and research into airflows reduces operating noise to a minimum.



65


NRS

	1	2	3	4
IRS	37	41	46	54
STANDARD HOOD	49	56	62	68



Speed

Perception of noise produced by a standard hood







Lumina NRS

- •Scotch Brite stainless steel (AISI 304)
- •Tempered glass with steel, white or black finishing
- •NRS technology for a quieter kitchen
- •Touch control + 24h function Ambient light
- •Metallic grease filter, removable and washable

Optional accessories

KACL.572#I

Anti-odour filters Filter: Carbon.Zeo regenerable KACL.961

KACL.570#I Chimney extension: wall H960 KACL.571#I Chimney extension: island H1200

Chimney extension: wall H700

Wall - 90/120 cm **Motor and Control** 800 m³/h

3 speed + boost Touch control

Carbon.Zeo KACL.961 (optional)

Lighting Neon 90 cm: 1x21 W (6500 K)

Neon 120 cm: 1x28 W (6500 K) **Energy Class**

Min. speed 37 dB(A)re1pW

Max. speed 46 dB(A)re1pW Minimum distance from cooker top Gas hob: 65 cm

Weight 90 cm version: 36 kg 120 cm version: 41 kg

Wall - 90 cm Steel - 800 m³/h 8034122344898 Wall - 90 cm Black - 800 m³/h 8034122348162 Wall - 120 cm Steel - 800 m³/h 8034122344881 Wall - 120 cm

Black - 800 m³/h 8034122348148

Anti-odour filters

Sound pressure level

Electric hob: 52 cm

Island - 90 cm Steel - 800 m3/h 8034122344874

Island - 90 cm White - 800 m³/h 8034122348117 Island - 90 cm Black - 800 m³/h 8034122348124

Weight

45 kg

Island - 90 cm

3 speed + boost

Anti-odour filters

KACL.961 (optional)

Neon 2x21 W (6500 K)

Sound pressure level

Touch control

Carbon.Zeo

Energy Class

Min. speed

Max. speed

37 dB(A)re1pW

46 dB(A)re1pW

Gas hob: 65 cm

Minimum distance

from cooker top

Electric hob: 52 cm


Lighting


800 m³/h

Motor and Control





















Lumen NRS

- •Scotch Brite stainless steel (AISI 304)
- •NRS technology for a quieter kitchen
- •Electronic control
- Led Lighting •Ambient light
- Air Falmec filter for balanced suction

Optional accessories

Anti-odour filters

Filter: Carbon.Zeo regenerable KACL.961

Chimney extension: wall H700 KACL.570#I

Chimney extension: wall H960 KACL.571#I Chimney extension: island H1200

KACL.572#I

Wall - 90 cm Island - 90 cm **Motor and Control**

800 m³/h 3 speed + boost

Electronic control

Anti-odour filters Carbon.Zeo

KACL.961 (optional) Lighting Led

Energy Class Sound pressure level


Min. speed 37 dB(A)re1pW Max. speed


46 dB(A)re1pW Minimum distance from cooker top Electric hob: 52 cm Gas hob: 63 cm

Weight Wall version: 34 kg Island version: 43 kg

Wall - 90 cm 800 m³/h 8034122362922

Island - 90 cm 800 m³/h 8034122362915









Lumen 175 NRS

- •Scotch Brite stainless steel (AISI 304)
- •NRS technology for a quieter kitchen
- Perimeter suction

- Electronic control
 Led lighting on both sides
 Ambient light
 Metallic grease filter, removable and washable

Optional accessories

Anti-odour filters Filter: Carbon.Zeo regenerable KACL.961

Chimney extension: island H1200 KACL.572#I

Remote control 105080053

Island - 175 cm **Motor and Control** 800 m³/h


3 speed + boost Electronic control Anti-odour filters Carbon.Zeo KACL.961 (optional)

Lighting Led 40 W (4000 K) **Energy Class**


Sound pressure level Min. speed 37 dB(A)re1pW Max. speed

46 dB(A)re1pW Minimum distance from cooker top Gas hob: 60 cm Electric hob: 52 cm Weight 60 kg

Island - 175 cm Right version - 800 m³/h 8034122362892 Island – 175 cm Left version – 800 m³/h 8034122362908



Right version



Left version



Suction surface is 90 cm wide, right below the chimney.





Plane Black NRS

- •Black painted steel •NRS technology for a quieter
- kitchen
- •Perimeter suction
- •Electronic control
- Led lighting
- •Metallic grease filter, removable and washable

Optional accessories

Anti-odour filters Filter: Carbon.Zeo regenerable KACL.961

Chimney extension: wall H960 KACL.571#N

Wall - 90 cm **Motor and Control** 800 m³/h 3 speed + boost Electronic control Anti-odour filters Carbon.Zeo


KACL.961 (optional) Lighting Led 2 X 1W (3200 K) **Energy Class**

Min. speed 37 dB(A)re1pW

from cooker top Gas hob: 63 cm

Sound pressure level Max. speed 46 dB(A)re1pW Minimum distance Electric hob: 52 cm Weight 34 kg

Wall - 90 cm 800 m³/h 8034122362816





Plane NRS

- •Scotch Brite stainless steel (AISI 304)
- •NRS technology for a quieter kitchen
- •Electronic control
- Led lighting
- •Air Falmec filter for balanced suction

Optional accessories

Anti-odour filters Filter: Carbon.Zeo regenerable

KACL.961

Chimney extension: wall H700 KACL.570#I Chimney extension: wall H960 KACL.571#I

Chimney extension: island H1200 KACL.572#I

Wall - 90/120 cm Motor and Control

800 m³/h 3 speed + boost

Electronic control **Anti-odour filters** Carbon.Zeo

KACL.961 (optional) Lighting

90 cm: 2x1,2 W (3200 K) 120 cm: 3x1,2 W (3200 K) Energy Class

Sound pressure level Min. speed 37 dB(A)re1pW

Max. speed 46 dB(A)re1pW Minimum distance from cooker top Gas hob: 63 cm

Electric hob: 52 cm Weight

90 cm version: 34 kg 120 cm version: 36 kg

Wall - 90 cm 800 m³/h 8034122343235 Wall - 120 cm 800 m³/h 8034122343495

Island - 90/120 cm **Motor and Control**

800 m³/h 3 speed + boost, electronic control Anti-odour filters

Charcoal and Zeolite filter Lighting Led 4x1,2 W (3200 K)

Energy Class Sound pressure level


Min. speed 37 dB(A)re1pW Max. speed 46 dB(A)re1pW


Minimum distance from cooker top Gas hob: 63 cm

Electric hob: 52 cm Weight

90 cm version: 42 kg 120 cm version: 44 kg

Island - 90 cm 800 m³/h 8034122343228 Island - 120 cm 800 m³/h 8034122348384





70 71



Verso NRS

- •Tempered white or black glass •NRS technology for a quieter kitchen
- •Touch control + 24h function
- Dynamic Led Light
- Double suction area (frontal and lower)
- •Frontal opening
- •Metallic grease filter, removable and washable

Optional accessories

Anti-odour filters Filter: High Performance Charcoal KACL.959

Chimney 960 mm (white) KACL.571#B Chimney 960 mm (black) KACL.571#N

800 m³/h 3 speed + boost Touch control Anti-odour filters High Performance filter KACL.959 **Lighting** Dynamic Led Light Led 2x1,2 W (2700-5600 K) **Energy Class** Sound pressure level Min. speed 37 dB(A)re1pW Max. speed 46 dB(A)re1pW Minimum distance

from cooker top

Electric hob: 52 cm


Gas hob: 57 cm

Weight


Wall - 85 cm

Motor and control

Wall - 85 cm Black - 800 m³/h 8034122360546 Wall - 85 cm White - 800 m³/h 8034122360539



White/Black



Lateral view



Flipper NRS

- •White or black satin glass with stainless steel central band •NRS technology for a quieter kitchen
- •Electronic control
- Led lighting
- •Metallic grease filter, removable and washable

Optional accessories

Anti-odour filters

Filter: High Performance Charcoal 2x 101078897

Chimney 960 mm (white) KACL.571#B Chimney 960 mm (black) KACL.571#N

Wall - 85 cm **Motor and Control**

800 m³/h 3 speed + boost Electronic control

Anti-odour filters High Performance filter 2x 101078897

Lighting Led 2x1,2 W (3200 K)

Energy Class


Sound pressure level Min. speed


37 dB(A)re1pW Max. speed 46 dB(A)re1pW Minimum distance

from cooker top Gas hob: 52 cm Electric hob: 52 cm Weight 40 kg

Wall - 85 cm Satin white glass/ Satin white 800 m³/h Satin black glass 8034122355115

Wall - 85 cm Satin black 800 m³/h 8034122353739







Zenith NRS

- •Scotch Brite (AISI 304) stainless steel
- Central stripe made in brilliant
- steel
- •Tempered glass shelf
 •NRS technology for a quieter
- kitchen
- •Electronic control
 •Led lighting •Diffuse illumination on the shelf
- Metallic grease filter, removable and washable

Optional accessories

Anti-odour filters

Filter: Carbon.Zeo regenerable KACL.961

Remote control 105080053

Island - 90/120/180 cm **Motor and Control**

800 m³/h 3 speed + boost Electronic control

Anti-odour filters Carbon.Zeo KACL.961 (optional)

Lighting Led stripe

Shelf 90 cm: 40 W (5500K) Shelf 120 cm: 56 W (5500K) Shelf 180 cm: 84 W (5500K) Energy Class

Sound pressure level Min. speed

37 dB(A)re1pW Max. speed

46 dB(A)re1pW Minimum distance from cooker top

Gas hob: 60 cm Electric hob: 52 cm

Weight 90 cm version: 50 kg 120 cm version: 56 kg 180 cm version: 68 kg Island - 90 cm*

800 m³/h


8034122354866 (Steel chassis) KACL.127 (Glass kit) Island - 120 cm*


800 m³/h 8034122354866 (Steel chassis)

KACL.128 (Glass kit) Island – 180 cm* 800 m³/h

8034122354866 (Steel chassis) KACL.129 (Glass kit)

*Hood is made by steel chassis and glass kit.











Virgola NRS

- •Scotch Brite stainless steel •NRS technology for a quieter kitchen
- •Tempered turning glass flap
- •Electronic control
- Dynamic Led Light Metallic grease filter,

removable and washable

Optional accessories

Anti-odour filters Filter: Carbon.Zeo regenerable KACL.961

Telescopic chimney 315 + 295 mm KCVJN.19#I

Remote control 105080053

Motor and Control 800 m³/h

3 speed + boost Electronic control Anti-odour filters

Carbon.Zeo KACL.961 (optional) Lighting

Led 1W (2700-5600K) Energy Class

Sound pressure level Min. speed 37 dB(A)re1pW

Max. speed 46 dB(A)re1pW Minimum distance from cooker top

Gas hob: 57 cm Electric hob: 52 cm Poids net

60 cm version: 22 kg 90 cm version: 24,5 kg 120 cm version: 27 kg


Built-in - 60/90/120 cm

8034122363660 Built-in - 90 cm Inox - 800 m³/h

8034122363677 Built-in - 120 cm Inox - 800 m³/h 8034122363653

Built-in - 60 cm

Inox - 800 m³/h





Optional chimney



Gruppo Incasso NRS

- •Scotch Brite stainless steel (AISI 304) •NRS technology for a quieter
- kitchen •Electronic control
- Dynamic Led Light
- •Metallic grease filter, removable and washable
- •Remote control included

Optional accessories

Anti-odour filters Filter: Carbon.Zeo regenerable KACL.961

Built-in - 50/70 cm Motor and Control

800 m³/h 3 speed + boost Electronic control

Anti-odour filters Carbon.Zeo

KACL.961 (optional)
Lighting

Dynamic Led Light 2x1,2 W (2700-5600 K) **Energy Class**

Sound pressure level Min. speed


37 dB(A)re1pW Max. speed 46 dB(A)re1pW

Minimum distance from cooker top Gas hob: 57 cm

Electric hob: 52 cm Weight

50 cm version: 22 kg 70 cm version: 23 kg

Built-in - 50 cm 800 m³/h 8034122343105 Built-in - 70 cm 800 m³/h 8034122343112



Cut-out size 50 cm: 506 mm x 262 mm 70 cm: 751 mm x 262 mm

8

No-Drop System.


No drips in the kitchen.

Falmec has developed innovative technology that finally solves the problem of liquids dripping due to cooking vapour condensation.


This is an unpleasant and common occurrence, particularly accentuated when using induction hobs.

No-Drop System consists of a set of filters with a criss-cross structure designed to channel liquids which are captured in a suitable container.

Cooking vapours are instead spread and pulverized evenly across the filter surface, and then collected.



Gravity causes condensed vapours to slip along an inclined canal and flow into a receptacle for collecting liquids that can be emptied and replaced after cleaning.



Profile of filter with criss-cross blades illustrating condensation of vapours.



Discover more about ours No-Drop System technology







Virgola No-Drop

- Stainless steel with Scotch Brite finish/black matt •Rotating tempered glass flap
- (smoke on black matt version)
- •Electronic control Dynamic Led Light
- Drainable and removable liquid
- collector and removable
- Anti-condensation system •Rear outlet available

Optional accessories

Glass Shelf 60 cm KACL.106 Glass Shelf 90 cm KACL.107 Glass Shelf 120 cm KACL.108

Steel Version Telescopic chimney 185+185 mm KCVJN.00#3

Chimney 120 mm KCVJN.01#3

Black Matt Version Telescopic chimney 185+185 mm

KCVJN.00#N Chimney 120 mm KCVJN.01#N

Anti-oudor filter Filter Carbon.Zeo KACL.961

Remote motors List at p. 209

Built-in 60/75/90/120 cm **Motor and Control**

800 m³/h 3 speed + boost Electronic control

Anti-odour filters Charcoal and Zeolite filter

Lighting Dynamic Led Light 60/75/90 cm 2x1,2 W (2700-5600 K) 120 cm 4x1,2 W (2700-5600 K)

Energy Class

Min. speed 49 dB(A)re1pW Max. speed 61 dB(A)re1pW Minimum distance

Sound pressure level

from cooker top Gas hob: 52 cm Electric hob: 52 cm

Weight 60 cm version: 11 kg 75 cm version: 12 kg 90 cm version: 16 kg

120 cm version: 17 kg

For best results from your hood and No-Drop technology, we recommend you use to the hood in extraction mode and check that it is correctly installed.


Steel Version


Built-in - 60 cm Steel- 800 m³/h 8034122361406 Built-in - 75 cm Steel - 800 m³/h 8034122361611 Built-in - 90 cm Steel - 800 m3/h 8034122361420 Built-in - 120 cm Steel - 800 m3/h 8034122361383

Black Matt Version

Built-in - 60 cm Black - 800 m3/h 8034122361413 Built-in - 75 cm New Black - 800 m3/h 8034122365329 Built-in - 90 cm Black - 800 m³/h 8034122361437 Built-in - 120 cm Black - 800 m³/h 8034122361390











Gruppo Incasso No-Drop

- •Stainless steel (AISI 304) scotch brite finish •Anti-condensation system
- •800 m³/h Motor
- •Drainable and removable liquid collector and removable
- •Electronic control Dynamic Led Light

Optional accessories

Remote control 105080053

Anti-odour filters Filter: Charcoal Type 6 103050091

Remote motors List at p. 209

Built-in - 90 cm **Motor and Control** 800 m³/h

3 speed + boost Electronic control

Anti-odour filters Charcoal filter: type 6

Lighting Dynamic Led Light 4 x 1,2 W (2700-5600 K)

Energy Class Sound pressure level


Min. speed 49 dB(A)re1pW Max. velocità 61 dB(A)re1pW Minimum distance from cooker top Gas hob: 62 cm

Electric hob: 52 cm

Weight 12 kg

Built-in - 90 cm 800 m³/h 8034122362281

Managamanana



Cut-out size 807 x 267 mm

80 81



Plane No-Drop

- •Stainless steel (AISI 304) scotch brite finish •Anti-condensation system
- •Electronic control
- •Drainable and removable liquid collector and removable
- Strip Led

Optional accessories


Anti-odour filters Filter: Carbon.Zeo KACL.961


Chimney extension: Wall h700 KACL.570#l Chimney extension: Wall h960 KACL.571#l Chimney extension: Island h1200 KACL.557#l

Remote motors List at p. 209 Wall - 90 cm
Island - 90 cm
Motor and Control
800 m³/h
3 speed + boost
Electronic control
Anti-odour filters
Carbon.Zeo
KACL.961 (optional)
Lighting
Strip Led 3000 K
Energy class
B
Sound pressure level
Min. speed
49 dB(A)re1pW
Max. speed
62 dB(A)re1pW
Minimum distance
from cooker top
Gas hob: 63 cm
Electric hob: 52 cm
Weight

wall version: 25 kg island version: 35 kg Wall - 90 cm Stainless steel 8034122362571

Island - 90 cm Stainless steel 8034122362557









Design.

In search of the perfect hood.

A collection of hoods with a contemporary flavour to satisfy every desire and need in the kitchen. Featuring unique aesthetic and functional solutions, Design is a collection created from Falmec's creativity and different collaborations with established and emerging designers.

An ongoing, shared "work in progress" that has allowed us to create a range inspired by absolute perfection: in its forms, its materials and its technologies.

Innovation designed for real people, made by real people.

Over the years, Falmec has concentrated all efforts on one type of cooker hoods. To try to improve them - and often succeeding, thanks to continuous research that has enabLed us to refine the design and to offer the best product possible, without compromising on efficiency, ease of installation or performance. Discover how Falmec innovations can simplify and improve life.

Fasteel.
Impossible to leave
your fingerprints behind.

With Fasteel anti-fingerprint steel, your hood will always be shining and beautiful, thanks to innovative "No Finger-Print technology". This is a special finish that prevents the creation of streaks and fingerprints, making cleaning easier.

Dynamic Led Light.
Shed new light on your kitchen.

The interior of your kitchen may have different sources of light which are not always in harmony in terms of tone. To even out the different colour temperatures of Led lights, Falmec has developed Dynamic Light, a new technology that electronically controls and regulates the colour temperature of your hood's lights, ranging from 2700K (warm light) to 5600K (cold light).

This enables you to decide whether

to set off your kitchen with warm or cold light, according to your personal preferences.

2700K

5600K

Green Tech.

Falmec, always thinking of the environment, presents Green Tech: a new technology that brings new levels of performance and energy saving to its products. Green Tech motors, equipped with an extraction capacity of 800m3/h, use electronic control that maximises the performance of the motor in every phase and mode of operation, contributing to a reduction in energy lost by the system. What's more, the use of permanent magnets placed on the motor allow a drastic reduction in the energy absorbed by the hood. In fact, compared to traditional motors, energy consumption is reduced by 60% in the fourth speed (maximum flow) and an impressive 90% in the first speed.













84

X

Design. Ceiling.

Falmec's ceiling hoods are designed to fit perfectly into any living environment. Thanks to their clean and minimal shapes and their discreet visual impact, they are suitable for open spaces where the kitchen area integrates with the living space.

These solutions collect the cooking fumes that rise naturally and are then captured directly in the ceiling. The hood can be integrated into a false ceiling or installed directly in the ceiling, in recirculating mode.









Design

Alba

Alba

•Glass perimeter frame •Matte white customisable panel*

•Perimeter extraction •Led perimeter lighting

•Removable and washable metallic filter

 Electronic button board •Remote control included

*To customize the inner panel, we recommend sanding it with simple fine sandpaper (2200 or Scotch Brite) and apply acrylic washable

Optional accessories

Carbon.Zeo filtering kit ceiling List at p. 213

Ceiling - 120 cm Motor

To match Lighting Led (4000 K)

Energy Class with motor 950 m³/h: C with motor 800 m³/h: C Sound pressure level

Min. speed 50 dB(A)re1pW Max. speed 64 dB(A)re1pW Maximum distance from cooker top

150 cm Weight 45 kg

Available motors


KACL.798#41F Motor 950 m³/h 8034122709833 KACL.782#49F Slim motor 800 m³/h 8034122708584 KACL.770#41F

Motor brushless 1100 m³/h 8034122710211 KACL.797#4AF Motor 1300 m³/h


8034122709628 KACL.786#41F External extractor 1000 m3/h 8034122707433

KACL.796#4AF External extractor 1500 m³/h 8034122709611


Ceiling 120 cm **8034122359526**



Onboard under-roof motor



Slim motor (only onboard)



Junction (KACL.789)



Remote motors



Slim motor outlets heading charts



Under-roof motor/onboard motor outlets heading charts

Cut-out size 603 mm x 1200 mm

For further information regarding installation options and technical details, go to pp. 222-223







Skema

or painted black or white

•Tempered glass

Perimeter suction

Dynamic Led Light

•Electronic control •Metallic grease filter, removable

and washable

•Remote control included

Optional accessories

Carbon.Zeo filtering kit ceiling List at p. 213

Ceiling - 120 cm **Motor and Control**

To match Lighting

Dynamic Led Light 43 W (2700-5600 K)

Energy class

Sound pressure level

Min. speed 50 dB(A)re1pW Max. speed

64 dB(A)re1pW Maximum distance from cooker top

150 cm **Weight** 27 kg

•Brushed stainless steel (AISI 304) Available motors

KACL.798#41F Motor 950 m³/h 8034122709833

KACL.782#49F Slim motor 800 m³/h 8034122708584

KACL.770#41F Motor brushless 1100 m³/h 8034122710211

KACL.797#4AF Motor 1300 m³/h 8034122709628

KACL.786#41F External extractor 1000 m³/h 8034122707433

KACL.796#4AF External extractor 1500 m³/h 8034122709611


Ceiling - 120 cm White

8034122360966 Ceiling - 120 cm


8034122360980 Ceiling - 120 cm Stainless steel 8034122360973

White/Black/Stainless steel






Onboard under-roof motor



Slim motor (only onboard)



Remote motors



Slim motor outlets heading charts



Under-roof motor/onboard motor outlets heading charts

Cut-out size 1240x505 mm

For further information regarding installation options and technical details, go to pp. 222-223



Life inspired.





Nuvola Led 90

- •Scotch Brite stainless steel (AISI 304) or white
- •Tempered extra light painted
- glass
- •Perimeter suction Anti-noise panel
- •Electronic control
- Dynamic and Dimmable Led Light (diffused)
- Metallic grease filter,
- removable and washable
- •Remote control included

Optional accessories

Carbon.Zeo filtering kit ceiling List at p. 213

Ceiling - 90 cm Motor

To match

Lighting

Strip Led (2700-5500 K)

Energy Class 950 m³/h : B

800 m³/h : C

Sound pressure level Min. speed

48 dB(A)re1pW

Max. speed

62 dB(A)re1pW

Maximum distance

from cooker top

150 cm

Weight 24 kg

92

Available motors

KACL.798#41F Motor 950 m³/h 8034122709833

KACL.782#49F Slim motor 800 m³/h

8034122708584 KACL.770#41F

Motor brushless 1100 m3/h 8034122710211

KACL.797#4AF Motor 1300 m³/h 8034122709628

KACL.786#41F

External extractor 1000 m3/h

8034122707433 KACL.796#4AF

External extractor 1500 m³/h 8034122709611


Ceiling - 90 cm

Steel 8034122363127 Ceiling - 90 cm White

8034122363110


White/Stainless Steel








Onboard under-roof motor



Slim motor (only onboard)





Slim motor outlets heading charts



Under-roof motor/onboard motor outlets heading charts

Cut-out size 505 mm x 940 mm

For further information regarding installation options and technical details, go to pp. 222-223





Nuvola Led 140

- Scotch Brite stainless steel (AISI 304) or white
- •Tempered extra light painted glass
- Perimeter suction
- Anti-noise panel
- •Electronic control •Dynamic and Dimmable
- Led Light (diffused)
- ·Metallic grease filter, removable and washable
- •Remote control included

Optional accessories

Carbon.Zeo filtering kit ceiling List at p. 213

Ceiling - 140 cm Motor

To match Lighting Strip Led (2700-5500 K)

Energy Class 950 m³/h : B 800 m³/h : C

Sound pressure level Min. speed

48 dB(A)re1pW Max. speed 62 dB(A)re1pW

Maximum distance from cooker top 150 cm

Weight

36 kg

Available motors

KACL.798#41F Motor 950 m³/h 8034122709833 KACL.782#49F Slim motor 800 m³/h 8034122708584 KACL.770#41F Motor brushless 1100 m³/h 8034122710211 KACL.797#4AF


Motor 1300 m³/h 8034122709628 KACL.786#41F External extractor 1000 m³/h 8034122707433

KACL.796#4AF External extractor 1500 m³/h 8034122709611

Ceiling - 140 cm 8034122363189 Ceiling - 140 cm 8034122363172

White/Stainless Steel









Onboard under-roof motor

Slim motor (only onboard)







Remote motors



Slim motor outlets heading charts



Under-roof motor/onboard motor outlets heading charts

Cut-out size 590 mm x 1325 mm

For further information regarding installation options go to pp. 222-223

Nube

- •Scotch Brite stainless steel (AISI 304)
- •Perimeter suction
- Anti-noise panel
- •Electronic control
- Metallic grease filter, removable and washable
- •Remote control included

Optional accessories

Carbon.Zeo filtering kit ceiling List at p. 213

Ceiling - 90 cm Motor To match **Energy Class** with motor 950 m³/h: A with motor 800 m³/h: B Sound pressure level Min. speed 48 dB(A)re1pW Max. speed 62 dB(A)re1pW Maximum distance from cooker top Weight 21 kg

Available motors

KACL.798#41F Motor 950 m³/h 8034122709833 KACL.782#49F Slim motor 800 m³/h 8034122708584 KACL.770#41F


Motor brushless 1100 m3/h 8034122710211 KACL.797#4AF Motor 1300 m³/h 8034122709628 KACL.786#41F External extractor 1000 m3/h 8034122707433


KACL.796#4AF External extractor 1500 m³/h 8034122709611

Ceiling - 90 cm 8034122363233 Ceiling - 90 cm White 8034122363226


White/Stainless Steel








Onboard under-roof motor



Slim motor (only onboard)



Junction (KACL.789)





Slim motor outlets heading charts



Under-roof motor/onboard motor outlets heading charts

Cut-out size 505 mm x 940 mm

For further information regarding installation options and technical details, go to pp. 222-223





Stella

- •Scotch Brite stainless steel (AISI 304) or painted black, white
- Perimeter suction
- Anti-noise panel •Electronic control
- •Dynamic and dimmable led light
- •Metallic grease filter, removable and washable
- •Remote control included

Optional accessories

Carbon.Zeo filtering kit ceiling List at p. 213

Ceiling - 90/120 cm Motor

To match Lighting

Dynamic Led Light Led 4x3,6 W (2700-5600 K)

Energy Class with motor 950 m³/h: B

with motor 800 m³/h: B Sound pressure level Min. speed

48 dB(A)re1pW Max. speed

62 dB(A)re1pW

Maximum distance from cooker top

150 cm Weight

90 cm version: 22 kg 120 cm version: 26 kg

Available motors

KACL.798#41F Motor 950 m³/h **8034122709833** KACL.782#49F Slim motor 800 m³/h 8034122708584 KACL.770#41F

8034122710211 KACL.797#4AF Motor 1300 m³/h 8034122709628

KACL.786#41F External extractor 1000 m³/h 8034122707433

KACL.796#4AF External extractor 1500 m³/h 8034122709611

Ceiling - 90 cm


8034122363295 Ceiling - 90 cm 8034122363288

Ceiling - 90 cm 8034122363301 Ceiling - 120 cm


8034122363271 Ceiling - 120 cm 8034122363264

White/Stainless Steel/Black

Motor brushless 1100 m³/h



Onboard under-roof motor



Slim motor (only onboard)








Slim motor outlets heading charts



Under-roof motor/onboard motor outlets heading charts

Cut-out size 90 cm: 505 mm x 940 mm 120 cm: 505 mm x 1240 mm

For further information regarding installation options and technical details, go to pp. 222-223








Cielo

- Tempered extra-light white glass
 Perimeter suction
 Touch control
 Dynamic Led Light
 Metallic grease filter, removable and washable
 Combined regenerable Carbon.Zeo filter
 Remote control included

Ceiling – 120 cm
Motor and Control
600 m³/h
3 speed + boost, touch
control
Anti-odour filters
Carbon.Zeo filter
Lighting
Dynamic Led Light
2x14 W (2700-5600 K)
Sound pressure level
Min. speed
53 dB(A)re1pW
Max. speed
61 dB(A)re1pW
Maximum distance
from cooker top
150 cm

150 cm **Weight** 39 kg









Aura

- •Tempered extra-light white glass Perimeter suction
- Touch control
- Dynamic and dimmable led light Metallic grease filter,
- removable and washable
- Combined regenerable
- Carbon.Zeo filter •Remote control included
- Ceiling 120 cm **Motor and Control** 600 m³/h
- Carbon.Zeo filter Lighting
- 2x14 W (2700-5600 K)
- Min. speed
- 53 dB(A)re1pW
- Maximum distance from cooker top
- Weight




Dynamic Led Light

Sound pressure level

Max. speed 61 dB(A)re1pW

150 cm

Ceiling - 120 cm 600 m³/h 8034122354507







Sirio

- •White tempered glass
- •Perimeter suction
- Anti-noise panel Electronic control
- Metallic grease filter,
- removable and washable
- •Dynamic and dimmable led light
- •Remote control included

Optional accessories

Carbon.Zeo filtering kit ceiling List at p. 213

Ceiling - 90 cm Motor

To match Lighting

Dynamic Led Light Led 4x3,6 W (2700-5600 K) Energy Class

with motor 950 m³/h: B with motor 800 m³/h: B

Sound pressure level Min. speed 48 dB(A)re1pW

Max. speed 62 dB(A)re1pW Maximum distance

from cooker top 150 cm Weight

28 kg

Available motors

KACL.798#41F Motor 950 m³/h **8034122709833**

KACL.782#49F Slim motor 800 m³/h 8034122708584

KACL.770#41F Motor brushless 1100 m³/h 8034122710211


KACL.797#4AF Motor 1300 m³/h 8034122709628


KACL.786#41F External extractor 1000 m3/h 8034122707433 KACL.796#4AF


External extractor 1500 m³/h

8034122709611


Ceiling - 90 cm White glass 8034122363240








Slim motor (only onboard)



Junction (KACL.789)





Slim motor outlets heading charts



Under-roof motor/onboard motor outlets heading charts

Cut-out size 505 mm x 940 mm

For further information regarding installation options and technical details, go to pp. 222-223





Vega

•AISI 304 Stainless steel, painted white or black

Tempered glass
Circle.Tech technology with
Carbon.Zeo filters

Perimeter suction

•All-surface Led lighting
•Removable and washable

metallic filter

•Dynamic and dimmable led light

(diffused) •Remote control included Motor and Control

3 speed + boost, electronic control

Carbon.Zeo filter KACL.944

Lighting
Dynamic Led Light
50 W (2700-5600 K)

150 cm **Weight** 45 kg

Ceiling - 115 cm

600 m³/h


Anti-odour filters

Sound pressure level


Min. speed 46 dB(A)re1pW Max. speed 60 dB(A)re1pW Minimum distance from cooker top

Ceiling - 115 cm White - 600 m³/h 8034122477169

Ceiling - 115 cm Black - 600 m³/h 8034122477176 Ceiling - 115 cm Stainless Steel - 600 m³/h 8034122476940



White/Black/Stainless Steel



X

Design. Island/Suspended.

The kitchen is more and more of a convivial space, central to the home project, integrating with the living environment. An Island hood becomes a fundamental element from a functional and design point of view. It performs its function of suction and lighting, adding value and personality to the kitchen itself. Falmec offers a wide choice of island hoods, with unique solutions, in ducted or recirculating versions, to always guarantee the best air.

Falmec suspension hoods are distinguished by their unique design, featuring high-quality finishes and materials as well as ambient light to create a unique atmosphere in the kitchen. With no need for pipes or flues, suspension hoods allow complete freedom of installation and significant energy saving. Equipped with innovative filter technology, Falmec's filter solutions guarantee excellent results when it comes to absorbing odours and improving air quality at home.








Circle.Tech Technology.

The new shape of filtration.

The circle represents perfection, the traditional symbol of something that has neither beginning nor end, formed of a single line whose ends join together and cancel each other out. Inspired by this form, Falmec has developed a new line of hoods that combine extraction and filtration in a single element, allowing maximum efficiency and minimum impact on space.



Technical sheet.





Active carbons are materials made principally of carbon in the form of graphite microcrystals, specially treated to create a porous structure with a vast internal surface area. These characteristics make it capable of trapping the molecules of many different types of substance, attracting and absorbing them.

Zeolite.

Zeolite is a mineral with a high capacity for absorbing organic compounds and water vapour. This property is directly due to the microporous nature of its crystalline structure. In addition, the chemical characteristics of zeolite mean that it releases heat on contact with moisture, thus reducing it. The use of zeolite is therefore important both for reducing odours and for absorbing water vapour produced during cooking.

Long-lasting product, simple maintenance.

The Carbon.Zeo combined filter has a long life, lasting at least 3 years, and up to 5 years, under normal conditions of use. We recommend regenerating the filter every 18 months by placing it in an oven at 200°C for two hours. This process is extremely easy, with extraction performed in the lower part of the hood.





Learn more about our Circle.Tech technology.

107













Spazio

- •Stainless (AISI 304) or black-painted steel chassis
- •Circle.Tech technology with Carbon.Zeo filters
- Smoked glass shelves •Dynamic and dimmable Led
- Light •Removable and washable
- metallic grease filter Equipped with power outlets
- and USB ports Ladle hanger, spice shelf, tablet holder included
- Indoor plants growing area
- (optional Falmec accessory) •Remote control included

Optional accessories

Tissue holder (Black) KACL.746#HF Tissue holder (Steel) KACL.746#IF

Kit 2 trays KACL.744#IF

Light for plant growing area KACL.745#IF

Extension Rods Kit Steel KACL.748#IF Extension Rods Kit Black KACL.748#HF

Island - 180 cm **Motor and Control** 600 m³/h

3 speed + boost Electronic control **Anti-odour filters** Carbon.Zeo

Lighting 4 x strip Led (2700-5600 K)

Sound pressure level Min. speed 46 dB(A)re1pW


Max. speed 60 dB(A)re1pW Minimum distance from cooker top Gas hob: 65 cm

Electric hob: 52 cm Weight 68 kg

Island - 180 cm Black - 600 m³/h 8034122476964


Island - 180 cm Steel - 600 m³/h 8034122476957 Matte black/Steel







*Maximum height with rod extension: 1550 mm.











Spazio 130

- •Black-painted steel chassis
 •Smoked glass shelf
- Asymmetric and reversible extraction Circle.Tech technology with
- Carbon.Zeo filters
- Dynamic and dimmable Led Light
- •Removable and washable metallic grease filter
- •Equipped with power outlets
- and USB ports
 •Ladle hanger, spice shelf, tablet
- holder included
- •Indoor plants growing area •Remote control included

Optional accessories

Tissue holder (Black) KACL.746#HF

Kit 2 trays

for plant growing area KACL.741#IF

Light for plant growing area KACL.743#IF

Extension Rods Kit (Inox) KACL.742#IF Extension Rods Kit (Black) KACL.742#HF

Island - 130 cm **Motor and Control**

600 m³/h 3 speed + boost Electronic control

Anti-odour filters Carbon.Zeo KACL.944

Lighting 2 x strip led


(2700-5600 K) Sound pressure level Min. speed

46 dB(A)re1pW Max. speed 60 dB(A)re1pW

Minimum distance from cooker top Gas hob: 65 cm Electric hob: 52 cm

Weight 52 kg

Island - 130 cm Black matt – 600 m³/h 8034122477640






*Maximum height with optional trays kit: 1550 mm.



Spazio 180 Accessories



Included Accessories

Tablet holder
Spice holder
Ladle holder hooks


Optional accessories

KACL.746#HF Tissue holder (Black)

KACL.746#IF Tissue holder (Steel)



KACL.744#IF Kit 2 trays for plant growing area



KACL.745#IF Light for plant growing area






Design Francesco Lucchese

Spazio is a system that amplifies the features of a suspended hood. Its versatility is a keypoint that we reached by increasing available room around the hood, allowing use on multiple levels, for a complete and dynamic experience. On the hanging support shelf the plants are a living presence for a real interaction with the "ingredients" necessary for good cooking. The activities on the work surface are facilitated by a hanging rail for all the accessories and by a large lighting surface. Choosing to create a suspended support of this type increases the capacity of the worktop, with a suspended kitchen area that multiplies its usability both on the horizontal and on the vertical plane, fully adapting to the work in the kitchen.

Spazio 130 Accessories



Included Accessories

Tablet holder Spice holder Ladle holder hooks


Optional accessories

KACL.746#HF Tissue holder (Black)



KACL.741#IF Kit 2 trays

for plant growing area



KACL.743#IF Light for plant growing area





Circle.Tech Dama







Dama

- •Copper, Scoth Brite finish stainless steel or painted white, gunmetal
- •Circle.Tech technology with Carbon.Zeo filters
- Rotary switch •Perimeter suction with glass
- panel
 •Led lighting
- Ambient Led lighting •Removable and washable

Optional accessories

Cables: adjustable up to 340 cm KACL.143

Remote control 105080053

metallic filter

Island - 60 cm Motor and Control

600 m³/h 3 speed + boost Rotary switch Anti-odour filters

Carbon.Zeo filter KACL.944 Lighting

Led 4x1,2 W (4200 K) Ambient 14 W (4200 K)

Sound pressure level Min. speed 46 dB(A)re1pW

Max. speed 60 dB(A)re1pW Minimum distance


from cooker top Gas hob: 56 cm Electric hob: 52 cm Weight

21 kg

Island - 60 cm White - 600 m³/h 8034122357997 Island - 60 cm Gunmetal - 600 m³/h 8034122476704 Island - 60 cm Steel - 600 m³/h 8034122476889 Island - 60 cm Copper - 600 m³/h 8034122476728

White/Gunmetal/Stainless Steel/Copper








Painted white ceiling support, adjustable cables range 44-110 cm





Levante

- •White, black or graphite tempered glass and AISI 304 stainless steel frame with Scotch Brite finish
- •Up/Down lift system with height adjustment
- •Tempered glass
 •Circle.Tech technology with
 Carbon.Zeo filters
- Perimeter extraction
- •Removable and washable metallic filter
- Dynamic Led Light (diffused)
 Remote control included

Island (Up/Down) - 120 cm Motor and Control

600 m³/h 3 speed + boost Electronic control

Anti-odour filters Carbon.Zeo filter

KACL.944

Lighting Dynamic Led Light 50 W (2700-5600 K) Sound pressure level

Min. speed
46 dB(A)re1pW
Max. speed
60 dB(A)re1pW
Minimum distance

from cooker top Gas hob: 57 cm Electric hob: 52 cm


Weight 71 kg


Island (Up/Down) - 120 cm White - 600 m³/h 8034122477183

Island (Up/Down) - 120 cm Black - 600 m³/h

8034122476933 Island (Up/Down) – 120 cm Graphite – 600 m³/h 8034122477664 White/Black/Graphite













Soffio

- •Handmade blown glass
 •Circle.Tech technology with
- Carbon.Zeo filters
- •Rotary switch
 •Perimeter suction with glass
- panel
- •Led lighting
 •Led ambient light
- •Removable and washable metallic filter

Optional accessories

Cables: adjustable up to 340 cm KACL.143

Remote control 105080053

Island - 58 cm Motor and Control 600 m³/h

3 speed + boost Rotary switch Anti-odour filters

Carbon.Zeo filter KACL.944

Lighting Led 4x1,2 W (4200 K) Ambient 15 W (4200 K)

Sound pressure level Min. speed 46 dB(A)re1pW

Max. speed 60 dB(A)re1pW Minimum distance

from cooker top Gas hob: 56 cm Electric hob: 52 cm Weight


Island - 58 cm White - 600 m³/h 8034122476735


21 kg

The craftsmanship of the body of this hood makes the product a unique piece. Small imperfections and irregularities are not to be considered as flaws, but as proof of this handcrafted manufacturing.

Satin white glass







Ø 270







Loop

- •Stainless steel AISI 304 or painted white and black gunmetal
- •Circle.Tech technology with Carbon.Zeo filters
- •Rotary switch
 •Perimeter suction with glass panel
 •Led lighting
 •Led ambient light

- •Removable and washable metallic filter

Optional accessories

Cables: adjustable up to 340 cm KACL.143

Remote control 105080053

Island - 74 cm **Motor and Control** 600 m³/h

3 speed + boost Rotary switch

Anti-odour filters Carbon.Zeo filter KACL.944

Lighting Led 4x1,2 W (4200 K) Ambient 8 W (4200 K)

Sound pressure level Min. speed 46 dB(A)re1pW


Max. speed 60 dB(A)re1pW Minimum distance from cooker top Gas hob: 56 cm Electric hob: 52 cm

Weight 29 kg

Island - 74 cm White - 600 m³/h 8034122358017 Island - 74 cm Gunmetal - 600 m³/h 8034122476858 Island - 74 cm Steel - 600 m³/h 8034122476896

White/Gunmetal/Steel







Painted white ceiling support, adjustable cables range 44-110 cm





Vetra

- •AISI 304 Stainless steel, painted white

- •Tempered glass
 •Circle.Tech technology with
 Carbon.Zeo filters
- Perimeter suction
- •All-surface Led lighting
- Removable and washable metallic filter
- •Remote control included

Optional accessories

Cables: adjustable up to 340 cm KACL.144

Island - 120 cm Motor and Control 600 m³/h

3 speed + boost Electronic control Anti-odour filters Carbon.Zeo filter KACL.944

Lighting Led stripe 84 W (5500 K)

Sound pressure level Min. speed 46 dB(A)re1pW


Max. speed 60 dB(A)re1pW Minimum distance from cooker top Gas hob: 57 cm Electric hob: 52 cm Weight

Island - 120 cm White - 600 m³/h 8034122476780 Island - 120 cm Steel - 600 m³/h 8034122476797

41 kg

Stainless Steel/White









Sophie

- Painted steel Circle.Tech technology with
- Carbon.Zeo filters •Rotary switch
- •Perimeter suction with glass
- •Led lighting
 •Removable and washable
- metallic filter

Optional accessories

Cables: adjustable up to 340 cm KACL.143

Remote control 105080053

Island - 54 cm **Motor and Control** 600 m³/h

3 speed + boost

Rotary switch





White/Anthracite/Pewter/

Vintage Brass/Vintage Copper

Anti-odour filters Carbon.Zeo filter KACL.944 Lighting

18 W (4200 K) Sound pressure level Min. speed 47 dB(A)re1pW


Max. speed 60 dB(A)re1pW Minimum distance from cooker top Gas hob: 53 cm

Electric hob: 52 cm Weight 21 kg

Island - 54 cm White - 600 m³/h 8034122358031 Island - 54 cm Anthracite - 600 m³/h 8034122358048 **Island - 54 cm** Pewter - 600 m³/h

8034122476773 Island - 54 cm Vintage Copper – 600 m³/h 8034122476872

Island - 54 cm Vintage Brass - 600 m³/h 8034122476759





Painted white ceiling support, adjustable cables range 44-110 cm



Sophie Lamp


•Painted stainless steel
•Led lighting (4200 K)

Island - 54 cm White 8034122712178 Island - 54 cm Anthracite 8034122712192 Island - 54 cm Pewter 8034122712208 Island - 54 cm Vintage Copper 8034122712161 Island - 54 cm Vintage Brass 8034122712185


Island - 22 cm
White
8034122712123
Island - 22 cm
Anthracite
8034122712147
Island - 22 cm
Pewter
8034122712154
Island - 22 cm
Vintage Copper
8034122712116
Island - 22 cm
Vintage Brass
8034122712130

White/Anthracite/Pewter/ Vintage Brass/Vintage Copper





Version Ø 22 cm



Version Ø 54 cm*

Painted white ceiling support, adjustable cables range 44-110 cm



Multi-Air technology.

Multi-Air **≡**

Join the flat revolution.


Falmec's new Multi-Air technology revolutionizes the traditional concept of suction, concentrated in a single point.

The intuition is to divide the suction power into multiple ultra-compact motors, distributed horizontally, for a widespread suction, with extremely reduced height.

The advantages.

The advantages are multiples: reduced noise, homogeneous suction along the surface, effective filtration thanks to the Carbon.Zeo filter technology and, last but not least, ultra-compact design.

The flat Multi-Air system opens up new design horizons for new hood concepts, previously unthinkable: another revolution in the kitchen extraction world made by Falmec.



















Light

- Painted steel
- Smoked tempered glass
- •Black anodized satin aluminum profiles
 •Perimeter suction
- •Multi-Air technology
- •Led lighting
 •Ambient light
- •Carbon.Zeo filter technology
- Electronic push-button panel
- Remote control included

Island - 120/180 cm Motor and Control

500 m³/h 3 speed + boost

Electronic control

Anti-odour filters Carbon.Zeo

KACL.964 Lighting

Strip Led 3000 K

Sound pressure level Min. speed 35 dB(A)re1pW Max. speed

57 dB(A)re1pW Minimum distance

from cooker top

Gas hob: 65 cm Electric hob: 52 cm

Weight


120 cm version: 31 kg 180 cm version: 40 kg

Island - 180 cm


Aluminium black satin matt 8034122362885

Island - 120 cm

Aluminium black satin matt 8034122362878



Light 180



Light 120







Elle

- •Matt black painted steel
 •Strip Led
 •Electronic control
- Perimeter suction
 Dynamic and
- dimmerable led light
- Metallic grease filter, removable and washable

Optional accessories

Anti-odour filters Filter: Carbon.Zeo KACL.961

Chimney extension: Island h1200 KACL.557#N

Remote control 105080053

Island – 175 cm Motor and Control

800 m³/h 3 speed + boost

Electronic control Anti-odour filters

Carbon.Zeo KACL.961 (optional) Lighting


4 x strip led (2700-5600 K) Energy class

C Sound pressure level


Min. speed 49 dB(A)re1pW Max. speed 61 dB(A)re1pW Minimum distance from cooker top

Gas hob: 63 cm Electric hob: 52 cm Island - 175 cm

Black **8034122362533**



The suction surface measures 90 cm and is in correspondence with the chimney of the hood.







Lumen Island 175

- •Scotch Brite stainless steel (AISI 304)
- •Perimeter suction
- •Electronic control
- •Led lighting on both sides
- •Metallic grease filter,
- removable and washable
- Charcoal filter included

Optional accessories

Anti-odour filters

Chimney extension: Island h1200

KACL.557#I

Remote motors List at p. 209

Filter: Carbon.Zeo KACL.961

Max. speed 62 dB(A)re1pW Minimum distance from cooker top

Island - 175 cm

3 speed + boost

Carbon.Zeo

Min. speed 49 dB(A)re1pW

Electronic control

Anti-odour filters

KACL.961 (optional)
Lighting
Led stripe 40 W (4000 K)
Energy Class

Sound pressure level

800 m³/h

Motor and Control

Gas hob: 63 cm Electric hob: 52 cm


Weight 48 kg

Island - 175 cm Right hand version - 800 m³/h 8034122363752 Island – 175 cm

Left hand version - 800 m³/h 8034122363769




Right hand side example: chimney and button boards are on the right side when standing in front of the hood.



Left hand side version

Right hand side version



Suction surface is 90 cm wide, right below



Europa

- •Scotch Brite stainless steel (AISI 304)
- •Perimeter suction
- •Electronic control Led lighting
- •Metallic grease filter,
- removable and washable
 •Charcoal filter included

Optional accessories

Shelf glass 90 cm KACL.064 Island glass 90 cm KACL.066 Island glass 120 cm KACL.065

Remote motors

List at p. 209

Island - 90/120 cm Motor and Control 800 m³/h

3 speed + boost Electronic control Anti-odour filters

Charcoal: type 3 Lighting Led 4x1,2 W (3200 K) Lighting mensola

Led 4x1,2 W (3200 K) Energy Class

Sound pressure level

Min. speed 49 dB(A)re1pW Max. speed 61 dB(A)re1pW


Minimum distance from cooker top Gas hob: 63 cm Electric hob: 52 cm


Weight

90 cm version: 35 kg 90 cm glass: 8 kg 120 cm version: 41 kg 120 cm glass: 10 kg 90 cm shelf: 15 kg 90 cm glass shelf: 8 kg Island - 90 cm 800 m³/h 8034122205984 Island - 120 cm 800 m³/h

8034122205977

Shelf - 90 cm 8034122205991







136 137

X

Design. Wall/Island.

The wall hood is traditionally the most used option, perfect for optimal fume extraction, if chosen and installed correctly. The wall hood combines functionality and design, often representing a decorative element of separation and customisation of the kitchen.

Falmec's ceiling hoods are designed to fit perfectly into any living environment. Thanks to their clean and minimal shapes and their discreet visual impact, they are suitable for open spaces where the kitchen area integrates with the living space.

These solutions collect the cooking fumes that rise naturally and are then captured directly in the ceiling.

The hood can be integrated into a false ceiling or installed directly in the ceiling, in recirculating mode.









Lumen

•Scotch Brite stainless steel (AISI 304)

•Electronic control

•Led Lighting
•Ambient Light

•Air Falmec filter for balanced suction

•Charcoal filter included

Optional accessories

Chimney extension: Wall h700 KACL.510#I Chimney extension: Wall h960 KACL.512#I Chimney extension: Island h1200 KACL.557#I

Remote motors List at p. 209

Carbon.Zeo filtering kit List at p. 215 Island - 90/120 cm Motor and Control 800 m³/h

3 speed + boost Electronic control **Anti-odour filters** Charcoal: type 3 **Lighting**

Led 5700 K Energy Class

Sound pressure level Min. speed 49 dB(A)re1pW Max. speed 62 dB(A)re1pW Minimum distance

62 dB(A)re1pW Minimum distance from cooker top Gas hob: 63 cm Electric hob: 52 cm

Electric hob: 52 cm Weight 90 cm version: 31 kg 120 cm version: 35 kg

Island - 90 cm 800 m³/h 8034122323336 Island - 120 cm 800 m³/h 8034122322872 Wall – 60/90/120 cm Motor and Control 600 m³/h

3 speed Electronic control 800 m³/h 3 speed + boost Electronic control Anti-odour filters Charcoal: type 3 Lighting

Led 5700 K **Energy Class** 90 cm - 600 m³/h: C 60/90 cm - 800 m³/h: B


120 cm - 800 m³/h: C **Sound pressure level Min. speed** 49 dB(A)re1pW


62 dB(A)re1pW Minimum distance from cooker top Gas hob: 63 cm

Max. speed

Electric hob: 52 cm **Weight** 60 cm version: 17 kg 90 cm version: 19 kg 120 cm version: 23 kg

Wall – 60 cm 800 m³/h 8034122324289 Wall – 90 cm 800 m³/h 8034122324876 Wall – 120 cm 800 m³/h 8034122323824







Plane Black/White

 Painted white or black matte steel
 Perimeter suction

•Electronic control

 Led lighting
 Metallic grease filter, removable and washable

Charcoal filter included

Optional accessories

Remote motors List at p. 209

Chimney extension: Island h1200 KACL.557#N (black)
Chimney extension: Island h1200 KACL.557#B (white)
Chimney extension: Wall h960 KACL.512#N (black)
Chimney extension: Wall h960 KACL.512#B (white)

Wall – 90 cm Motor and Control

800 m³/h 3 speed + boost Electronic control **Anti-odour filters**

Charcoal: type 3 **Lighting** Led 2x1,2 W (3200 K)

Energy Class

Sound pressure level Min. speed 49 dB(A)re1pW Max. speed 62 dB(A)re1pW Minimum distance from cooker top Gas hob: 63 cm Electric hob: 52 cm Weight

Wall - 90 cm White - 800 m³/h 8034122342108 Wall - 90 cm Black - 800 m³/h 8034122359892

20 kg

Island – 90 cm Motor and Control 800 m³/h

3 speed + boost Electronic control Anti-odour filters Charcoal: type 3

Lighting Led 4x1,2 W (3200 K) Energy Class

Sound pressure level
Min. speed
49 dB(A)re1pW
Max. speed
61 dB(A)re1pW
Minimum distance
from cooker top
Gas hob: 63 cm
Electric hob: 52 cm

Island - 90 cm White - 800 m³/h 8034122342092 Island - 90 cm Black - 800 m³/h


8034122359885


Weight

31 kg

Black/White









Plane

•Scotch Brite stainless steel (AISI 304)

•Electronic control •Led lighting

•Air Falmec filter for balanced suction

•Charcoal filter included

Optional accessories

Chimney extension: Wall h700 KACL.510#I Chimney extension: Wall h960 KACL.512#I

Chimney extension: Island h1200 KACL.557#I

Remote motors List at p. 209

Motor and Control 3 speed + boost Electronic control Anti-odour filters Charcoal: type 3 Lighting Wall: 90 cm Led 2x1,2 W (3200 K) Wall: 120 cm Led 3x1,2 W (3200 K) Island: 90/120 cm Led 4x1,2 W (3200 K) **Energy Class** Sound pressure level Min. speed 49 dB(A)re1pW Max. speed 62 dB(A)re1pW Minimum distance from cooker top Gas hob: 63 cm Electric hob: 52 cm Weight

90 cm wall version: 18 kg


120 cm wall version: 22 kg 90 cm island version: 30 kg 120 cm island version: 32 kg


Wall - 90/120 cm

Island - 90/120 cm

Wall - 90 cm 800 m³/h 8034122331058 Wall - 120 cm 800 m³/h 8034122330273

Island - 90 cm 800 m³/h 8034122329802 Island - 120 cm 800 m³/h 8034122329406







Plane Green Tech

•Scotch Brite stainless steel (AISI 304)

•Green Tech motor

Led lighting

 Air Falmec filter for balanced suction

Charcoal filter included

Optional accessories

Chimney extension: Wall h700 KACL.510#I Chimney extension: Wall h960 KACL.512#I Chimney extension: Island h1200

KACL.557#I

Remote motors List at p. 209

Carbon.Zeo filtering kit List at p. 215

Wall - 90 cm Island - 90 cm **Motor and Control**

800 m³/h Green Tech 3 speed + boost Electronic control

Anti-odour filters Charcoal: type 3 Lighting

Wall: 90 cm 2x1,2 W (3200 K) Island: 90 cm 4x1,2 W (3200 K)

Energy Class


Sound pressure level Min. speed 48 dB(A)re1pW Max. speed


62 dB(A)re1pW Minimum distance from cooker top

Gas hob: 63 cm Electric hob: 52 cm Weight

Wall version: 18 kg Island version: 30 kg Wall - 90 cm 800 m³/h 8034122101798

Island - 90 cm 800 m³/h 8034122101781









Plane Top (Fasteel)

- •Scotch Brite Fasteel no finger prints
- Perimeter suction
 Electronic control
- Dynamic Led Light
- •Metallic grease filter,
- removable and washable
 •Charcoal filter included

Optional accessories

Chimney extension: Wall h700 KACL.510#X Chimney extension: Wall h960 KACL.512#X Chimney extension: Island h1200 KACL.557#X

Remote control

Remote motors List at p. 209 Wall – 90/120 cm Motor and Control 800 m³/h

3 speed + boost Electronic control **Anti-odour filters**

Charcoal: type 3 **Lighting**

Dynamic Led Light 90 cm: 2x1,2 W (2700-5600 K) 120 cm: 3x1,2 W (2700-5600 K)

Energy Class

Sound pressure level Min. speed 49 dB(A)re1pW Max. speed

61 dB(A)re1pW
Minimum distance
from cooker top
Gas hob: 63 cm

Electric hob: 52 cm **Weight** 25 kg

Wall - 90 cm Fasteel - 800 m³/h 8034122203454 Wall - 120 cm Fasteel - 800 m³/h 8034122203157 Island – 90 cm Motor and Control

800 m³/h 3 speed + boost Electronic contro

Electronic control Anti-odour filters Charcoal: type 3

LightingDynamic Led Light

90 cm: 4x1,2 W (2700-5600 K) Energy Class


Sound pressure level Min. speed 49 dB(A)re1pW


Max. speed 61 dB(A)re1pW Minimum distance

from cooker top Gas hob: 63 cm Electric hob: 52 cm Weight

31 kg

Island - 90 cm Fasteel - 800 m³/h 8034122202907











Altair

- Scotch Brite stainless steel (AISI 304)
- •Perimeter suction
 •Electronic control
- Led lighting
- •Metallic grease filter, removable and washable
- removable and washable
 Charcoal filter included

Optional accessories

Remote motors List at p. 209 3 speed + boost Electronic control Anti-odour filters Charcoal: type 6 Lighting Wall: Led 2x1,2 W (3200 K) Island: Led 4x1,2 W (3200 K) **Energy Class** Sound pressure level Min. speed 49 dB(A)re1pW Max. speed 61 dB(A)re1pW Minimum distance from cooker top Gas hob: 61 cm Electric hob: 52 cm Weight

Wall 60 cm version: 25 kg

Island 60 cm version: 37 kg

Wall/Island


Motor and Control

60 cm

800 m³/h

Wall - 60 cm 800 m³/h 8034122340463

Island - 60 cm 800 m³/h 8034122340234





Laguna

- •Scotch Brite stainless steel (AISI 304)
- Finishing tempered glass: white or black
- •Available for customisable panel •Perimeter suction
- •Touch control + 24 h function •Led lighting
- Metallic grease filter, removable and washable
- Charcoal filter included

Optional accessories

Remote motors List at p. 209

List at p. 20

Wall - 60/90 cm Motor and Control 800 m³/h 3 speed + boost

Touch control **Anti-odour filters** Charcoal: type 6

Lighting Led 2x1,2 W (3200 K) Energy Class

Sound pressure level Min. speed 49 dB(A)re1pW

Max. speed 61 dB(A)re1pW Minimum distance

from cooker top Gas hob: 60 cm

Electric hob: 52 cm
Weight

60 cm glass version: 34 kg 90 cm glass version: 45 kg Island – 60/90 cm Motor and Control

800 m³/h

3 speed + boost, touch control (electronic control 3 speed + boost for customisable version)

Anti-odour filters Charcoal: type 6 Lighting

Led 4x1,2 W (3200 K) Energy Class

Sound pressure level Min. speed

Max. speed 61 dB(A)re1pW Minimum distance from cooker top

49 dB(A)re1pW

Gas hob: 60 cm Electric hob: 52 cm **Weight** 60 cm custom version: 30 kg

90 cm custom version: 38 kg 60 cm glass version: 46 kg 90 cm glass version: 59 kg Wall – 60 cm
White – 800 m³/h

8034122350905 (Steel body)

8034122350905 (Steel body)

8034122350912 (Steel body)

8034122350912 (Steel body)

8034122319193 (Steel body) KACL.822#F (Glass kit)

8034122319193 (Steel body)

8034122319339 (Steel body)

8034122319339 (Steel body)

KACL.822#N (Glass kit)

Customisable*- 800 m³/h 8034122349367

KACL.823#F (Glass kit)

KACL.823#N (Glass kit)

Customisable* - 800 m3/h

KACL.824#F (Glass kit)

KACL.824#N (Glass kit)

KACL.825#F (Glass kit)

KACL.825#N (Glass kit)

Wall - 60 cm

Wall - 90 cm

Wall - 90 cm

Black - 800 m3/h

Island - 60 cm

White - 800 m³/h

Island - 60 cm

Black - 800 m³/h

Island - 60 cm

Island - 90 cm

Island - 90 cm

Island - 90 cm

8034122349374

Black - 800 m³/h


White - 800 m³/h

White - 800 m³/h

Black - 800 m³/h



2,0



*Custom version, wooden panel to be supplied by the customer. For this version, electronic control is placed on the bottom.



Polar X

•Scotch Brite stainless steel (AISI 304)

•Electronic control Led lighting

•Top filter removable and washable

Charcoal filter included

Optional accessories

Remote motors List at p. 209

Wall/island - 35 cm Motor and Control 800 m³/h 3 speed + boost Electronic control

Anti-odour filters Charcoal: type 6 Lighting Led 3x1,2 W (3200 K)

Energy Class

Sound pressure level Min. speed 48 dB(A)re1pW

61 dB(A)re1pW Minimum distance from cooker top Gas hob: 60 cm


Wall version: 23 kg Island version: 24 kg


Max. speed

Electric hob: 52 cm Weight

Wall - 35 cm Steel - 800 m³/h 8034122363202

Island - 35 cm Steel - 800 m3/h 8034122363196





148



Polar Light

 Scotch Brite stainless steel (AISI 304)

•Electronic control

Led lighting

•Led ambient light •Top filter removable and washable

Charcoal filter included

Optional accessories

Remote motors List at p. 209

Wall/Island - 35 cm **Motor and Control** 800 m³/h

3 speed + boost Electronic control

Anti-odour filters Charcoal: type 6 Lighting

Led 3x1,2 W (3200 K) Led stripe 5W (5500 K)

Energy Class


Sound pressure level Min. speed 48 dB(A)re1pW Max. speed 61 dB(A)re1pW Minimum distance

from cooker top Gas hob: 60 cm Electric hob: 52 cm Weight

24 kg Wall - 35 cm 800 m³/h 8034122332307

Island - 35 cm 8034122331812





Polar

•Scotch Brite stainless steel (AISI 304)

•Electronic control

•Led lighting •Top filter removable and

washable Charcoal filter included

Optional accessories

Glass island KACL.802

Remote motors List at p. 209

Wall/Island - 35 cm **Motor and Control** 800 m³/h

3 speed + boost Electronic control Anti-odour filters

Charcoal: type 6 Lighting

Led 3x1,2 W (3200 K) **Energy Class**


Sound pressure level Min. speed 48 dB(A)re1pW Max. speed 61 dB(A)re1pW Minimum distance from cooker top Gas hob: 60 cm Electric hob: 52 cm


Weight Wall version: 23 kg Island version: 24 kg


800 m³/h 8034122332239 Island - 35 cm

Wall - 35 cm

800 m³/h 8034122331683











Polar Black/White

- Painted white or black matte steel
- •Electronic control
 •Led lighting
- •Top filter removable and washable


•Charcoal filter included Optional accessories


Remote motors List at p. 209

Wall/island - 35 cm Motor and Control 800 m³/h 3 speed + boost Electronic control Anti-odour filters Charcoal: type 6 Lighting Led 4x1,2 W (3200 K) **Energy Class** Sound pressure level Min. speed 48 dB(A)re1pW Max. speed 61 dB(A)re1pW Minimum distance from cooker top Gas hob: 60 cm Electric hob: 52 cm Weight Wall version: 23 kg Island version: 24 kg

Wall - 35 cm White - 800 m³/h 8034122342146 Wall - 35 cm Black - 800 m³/h 8034122354620

> Island - 35 cm White - 800 m³/h 8034122342139 Island - 35 cm Black - 800 m³/h 8034122354613







Polar Copper/Gold

- •Painted copper or gold matte steel
- •Electronic control
- Led lighting
- •Top filter removable and washable
- Charcoal filter included

Optional accessories

Remote motors List at p. 209 Wall/island - 35 cm Motor and Control 800 m³/h

3 speed + boost Electronic control

Anti-odour filters Charcoal: type 6 Lighting

Led 4x1,2 W (3200 K) Energy Class


Sound pressure level Min. speed 48 dB(A)re1pW Max. speed 61 dB(A)re1pW Minimum distance


from cooker top Gas hob: 60 cm Electric hob: 52 cm Weight

Wall version: 23 kg Island version: 24 kg Wall - 35 cm Copper - 800 m³/h 8034122361215 Wall - 35 cm

Wall - 35 cm Gold - 800 m³/h 8034122361239

Island - 35 cm Copper - 800 m³/h 8034122361178 Island - 35 cm Gold - 800 m³/h 8034122361192





151

Black / White



Copper / Gold







Mira Black/White

- Painted white or black matte steel
 Perimeter suction
 Electronic control
 Led lighting
 Metallic grease filter, removable and washable
- •Charcoal filter included

Optional accessories


Remote motors List at p. 209 800 m³/h
3 speed + boost
Electronic control
Anti-odour filters
Charcoal: type 6
Lighting
Wall: Led 2x1,2 W (3200 K)
Island: Led 4x1,2 W (3200 K)
Energy Class
B
Sound pressure level
Min. speed
48 dB(A)re1pW
Max. speed
61 dB(A)re1pW
Minimum distance
from cooker top
Gas hob: 60 cm
Electric hob: 52 cm
Weight
Wall version: 21 kg
Island version: 34 kg

Wall/Island - 40 cm

Motor and Control

Wall - 40 cm White - 800 m³/h 8034122342061 Wall - 40 cm Black - 800 m³/h 8034122359847

Island - 40 cm White - 800 m³/h 8034122342054 Island - 40 cm Black - 800 m³/h 8034122359830



ISLAND. without extension: chimney H 750 mm with extension: chimney H min. 900 mm - max 1202 mm.





Mira

- •Scotch Brite stainless steel (AISI 304)
- •Perimeter suction
- Electronic control Led lighting
- Metallic grease filter, removable and washable
- Charcoal filter included

Optional accessories

Remote motors List at p. 209

Motor and Control 800 m³/h

3 speed + boost Electronic control

Lighting

49 dB(A)re1pW

61 dB(A)re1pW

Weight

Wall version: 16 kg Wall telescopic version: 19 kg Island version: 32 kg

Wall/Island - 40 cm

Anti-odour filters Charcoal Type 6

Wall: Led 2x1,2 W (3200 K)

Island: Led 4x1,2 W (3200 K) **Energy Class**

Sound pressure level Min. speed

Max. speed

from cooker top Gas hob: 60 cm

Minimum distance Electric hob: 52 cm

Wall - 40 cm 800 m³/h 8034122206004 Wall telescopic - 40 cm 800 m³/h 8034122205793


Island - 40 cm 800 m³/h 8034122201993



Wall version



Wall telescopic version







Exploit (Fasteel)

- Scotch Brite Fasteel no
- finger prints Perimeter suction
- •Electronic control
- Led lighting Metallic grease filter,
- removable and washable Charcoal filter included

Optional accessories

Remote motors List at p. 209

Wall/Island - 90 cm **Motor and Control**

800 m³/h 3 speed + boost

Electronic control Anti-odour filters Charcoal: type 3

Lighting Wall: Led 2x1,2 W (3200 K) Island: Led 4x1,2 W (3200 K) Energy Class

Sound pressure level Min. speed 49 dB(A)re1pW

Max. speed 61 dB(A)re1pW Minimum distance


from cooker top Gas hob: 60 cm Electric hob: 52 cm


Weight Wall version: 20 kg Island version: 32 kg

Stratox/Fasteel - 800 m3/h 8034122100654

Exploit - Wall - 90 cm

Exploit - Island - 90 cm Stratox/Fasteel - 800 m3/h 8034122100371





Luce

- Scotch Brite stainless steel (AISI 304)
- ·Black glass front •Touch control
- •Led lighting
- Ambient light Top filter, removable
- and washable Charcoal filter included

Optional accessories

Remote motors List at p. 209

Wall/Island - 90 cm **Motor and Control**

800 m³/h 3 speed + boost Touch control Anti-odour filters

Charcoal: type 3 Lighting Wall: Neon 1x21 W (6500 K)

Island: Neon 2x21 W (6500 K) **Energy Class** Wall: B

Island: C Sound pressure level Min. speed 49 dB(A)re1pW


Max. speed 62 dB(A)re1pW Minimum distance from cooker top


Gas hob: 63 cm Electric hob: 52 cm Weight

Wall: 21 kg Island: 32 kg

Wall - 90 cm Black - 800 m³/h 8034122348261

Island - 90 cm Black - 800 m³/h 8034122348247







Mirabilia Pharo





Mirabilia

Pharo Manhattan Elektra

- •Scotch Brite stainless steel (AISI 304)
- Decorated glass
- •Perimeter suction
- •Electronic control
 •Led lighting
- •Led ambient light
- ·Metallic grease filter,
- removable and washable
- •Charcoal filter included Back outlet available

Optional accessories

Remote motors List at p. 209

Island - 65/85 cm **Motor and Control** 800 m³/h

3 speed + boost Electronic control

Anti-odour filters Charcoal: type 6 Lighting

Led 4x1,2 W (3200 K) Ambient 4x1,2 W (3200 K) Energy Class

Sound pressure level Min. speed 54 dB(A)re1pW

Max. speed

63 dB(A)re1pW Minimum distance from cooker top

Gas hob: 60 cm Electric hob: 52 cm

Weight 65 cm: 31 kg 85 cm: 41 kg

Island - 65 cm* 800 m³/h Pharo

Manhattan

Codes: 8034122349077 (Steel chassis) KACL.277 (Glass kit Manhattan) KACL.276 (Glass kit Pharo)

Island - 85 cm* 800 m³/h Pharo Manhattan Elektra

Codes:

8034122342405 (Steel chassis) KACL.229 (Glass kit Manhattan) KACL.226 (Glass kit Elektra) KACL.228 (Glass kit Pharo)

800 m³/h 3 speed + boost Electronic control

Anti-odour filters Charcoal: type 6

Lighting

Led 2x1,2 W (3200 K) Ambient 3x1,2 W (3200 K) Energy Class

Sound pressure level

Min. speed 45 dB(A)re1pW Max. speed 55 dB(A)re1pW Minimum distance from cooker top


Gas hob: 60 cm Electric hob: 52 cm


Weight 24 kg


Wall - 67 cm* 800 m³/h Pharo Manhattan

Elektra Codes:


8034122342429 (Steel chassis) KACL.217 (Glass kit Manhattan) KACL.202 (Glass kit Elektra) KACL.200 (Glass kit Pharo)















\aleph

Design. Wall.

The wall hood is traditionally the most used option, perfect for optimal fume extraction, if chosen and installed correctly. This solution combines functionality and design, often representing a decorative element of separation and customisation of the kitchen.











Cover

- •Black painted body
 •Openable glass front door
- •Frontal panel finishing: Black or white glass Sprinkled clay
- •Electronic control •Metallic grease filter, removable and washable
- Dynamic led light

Optional accessories

Anti-odour filters Filter: Carbon.Zeo KACL.961

Chimney optional (white) KCCFN.00#B Chimney optional (black) KCCFN.00#N

Remote control 105080053

Wall - 85 cm **Motor and Control** 600 m³/h

Compact motor 3 speed + boost Electronic control

Anti-odour filters Carbon.Zeo KACL.961

Lighting Dynamic Led Light Led 2x1,2 W (2700-5600 K) Energy Class

Min. speed 45 dB(A)re1pW Max. speed 61 dB(A)re1pW Minimum distance

from cooker top Gas hob: 52 cm Electric hob: 52 cm Weight 18 kg

Sound pressure level


Wall - 85 cm Sand clay - 600 m³/h 8034122363912 Wall - 85 cm


Stone clay - 600 m³/h 8034122363905 Wall – 85 cm Terracotta clay – 600 m³/h

Wall - 85 cm White - 600 m³/h 8034122362823 Wall - 85 cm

Black - 600 m³/h 8034122362830

8034122363899 Wall - 85 cm Ardesia clay – 600 m³/h 8034122363882










Optional chimney















Clay: fruit of the earth.

Natural and malleable material par excellence, clay inherits the original colors of the land it comes from.

The joint with resin elements creates a material coating that is pleasant to the touch, enriched by a manual spatula that makes the product unique. A 100% Italian product, studied in detail to create a unique style and supreme performance.

Resistant and durable thanks to the treatments it is subjected to, the "Clay" material is suitable for modern kitchen and on frequently used surfaces, resistant to heat and scratches.

The result is delicately material to the touch and refined in style, like the soft and enveloping colors of the palette. For cleaning you simply need a damp cloth.



Argilla ardesia



Argilla pietra




Argilla sabbia



Argilla terracotta







Prisma

- •Tempered white or black glass •Frontal frame in Scotch Brite
- stainless steel
- •Touch control
 •Led lighting
- •Led ambient light
 •Top filters removable and
- washable
- Charcoal filter included
- Rear outlet available

Optional accessories

Chimney optional KCQAN.00#I

Remote motors

List at p. 209

Carbon.Zeo filtering kit sloped hoods List at p. 215

Motor and Control 800 m³/h

Touch control

Charcoal: 6

Lighting Led 2x1,2 W (3200 K) Ambient Led 2x1,2 W (3200 K)

Energy Class A
Sound pressure level
Min. speed
46 dB(A)redpW

Max. speed 58 dB(A)re1pW

Gas hob: 53 cm Electric hob: 52 cm

Wall - 85 cm

3 speed + boost

Anti-odour filters


Minimum distance from cooker top


Weight 22 kg


Wall - 85 cm White - 800 m³/h

8034122351988 Wall - 85 cm Black - 800 m³/h 8034122352039















Tab

- •Frontal white, black, Fasteel or colored finishing
- •Chrome edge
- •Electronic control
 •Led lighting on body and door
- •Top filters removable and . washable
- Charcoal filter included
- •Rear outlet available

Optional accessories

Chimney optional (Steel) KCTCN.001#I Chimney optional (White) KCTCN.001#B Chimney optional (Black) KCTCN.001#N

Remote motors

List at p. 209

Carbon.Zeo filtering kit sloped hoods List at p. 215

Wall - 60/80 cm **Motor and Control** 800 m³/h

3 speed + boost Electronic control Anti-odour filters Charcoal: type 6

Lighting Led 4x1,2 W (3200 K) **Energy Class**

Sound pressure level Min. speed 46 dB(A)re1pW Max. speed 58 dB(A)re1pW Minimum distance from cooker top Gas hob: 53 cm

Weight 60 cm version: 17 kg 80 cm version: 21 kg

Electric hob: 52 cm

Wall - 60 cm White - 800 m³/h 8034122352046 Wall - 60 cm

Black - 800 m³/h **8034122352053** Wall - 60 cm Fasteel - 800 m³/h 8034122352077 Wall – 80 cm White - 800 m³/h 8034122352091 Wall - 80 cm

Black - 800 m³/h

8034122352107




White/Black/Fasteel













Quasar

- Scotch Brite stainless steel •Finishing tempered glass:
- white, black or grey
- •Perimeter suction
- •Touch control + 24h function
- Dynamic Led Light •Metallic grease filter.
- removable and washable
- Charcoal filter included •Rear outlet available

Optional accessories

Chimney optional (Steel) KCQAN.00#I Chimney optional (White) KCQAN.00#B Chimney optional (Black) KCQAN.00#N

Remote motors

List at p. 209

Carbon.Zeo filtering kit sloped hoods List at p. 215

Wall - 60/80/90/120 cm **Motor and Control**

800 m³/h 3 speed + boost Touch control Anti-odour filters

Charcoal: type 6 Lighting Dynamic Led Light

60 cm 2x1,2 W (2700-5600 K) 80/90/120 cm 3x1,2 W (2700-5600 K) Energy Class

Sound pressure level Min. speed 46 dB(A)re1pW Max. speed

58 dB(A)re1pW Minimum distance from cooker top Gas hob: 52 cm Electric hob: 52 cm

Weight 60 cm version: 26 kg 80 cm version: 31 kg 90 cm version: 33 kg 120 cm version: 41 kg

Wall - 60 cm White - 800 m³/h

8034122353975 Wall - 60 cm Black - 800 m³/h 8034122353982

Wall - 80 cm White - 800 m³/h 8034122353999 Wall - 80 cm Black - 800 m3/h 8034122354002

Wall - 90 cm White $-800 \, \text{m}^3/\text{h}$ 8034122354019 Wall - 90 cm Black - 800 m3/h 8034122354033


Wall - 90 cm Grey - 800 m3/h 8034122354026 Wall - 120 cm White - 800 m³/h 8034122353944 Wall - 120 cm

Black - 800 m³/h

8034122353968


White/Black/Grey RAL7022








Rear view







Quasar Top (Fasteel)

- Scotch Brite Fasteel no finger prints •Perimeter suction
- •Electronic control
- •Led lighting
- Metallic grease filter, removable and washable
- Charcoal filter included
- •Rear outlet available

Optional accessories

Chimney optional (Fasteel) KCQAN.00#X

Remote motors List at p. 209

Carbon.Zeo filtering kit sloped hoods List at p. 215

Wall - 90/120 cm **Motor and Control** 800 m³/h

3 speed + boost

Lighting

Led 3x1,2 W (3200 K)

Min. speed 46 dB(A)re1pW

58 dB(A)re1pW Minimum distance from cooker top

Gas hob: 52 cm Electric hob: 52 cm Weight

90 cm version: 28 kg 120 cm version: 37 kg

Electronic control Anti-odour filters

Charcoal: type 6


Energy Class

Sound pressure level

Max. speed


Wall - 90 cm Fasteel - 800 m3/h 8034122205564 Wall - 120 cm Fasteel - 800 m³/h 8034122205571







Rear view



Quasar Green Tech



Quasar Green Tech

- •Scotch Brite stainless steel
- •Green Tech motor
- •Finishing tempered white glass or black
- Perimeter suction
- •Touch control + 24h function
- •Dynamic Led Light
- •Metallic grease filter, removable and washable
- Charcoal filter included
- •Rear outlet available

Optional accessories

Chimney optional (Steel) KCQAN.00#I Chimney optional (White) KCQAN.00#B Chimney optional (Black) KCQAN.00#N

Remote motors List at p. 209

Carbon.Zeo filtering kit sloped hoods List at p. 215

Wall - 90 cm **Motor and Control**

800 m³/h Green Tech 3 speed + boost, touch control

Anti-odour filters Charcoal: ø 192 mm

Lighting

Dynamic Led Light 3x1,2 W (2700-5600 K)

Energy Class

Sound pressure level Min. speed


45 dB(A)re1pW Max. speed 58 dB(A)re1pW Minimum distance

from cooker top Gas hob: 52 cm Electric hob: 52 cm

Weight 33 kg


Wall - 90 cm White - 800 m³/h 8034122101804 Wall - 90 cm Black - 800 m³/h 8034122101811

White/Black





Rear view



Optional chimney



Flipper

- •Tempered glass versions with Scotch Brite stainless steel (AISI304) central band •Electronic control
- Leed lighting
 Metallic grease filter,
 removable and washable
- •Charcoal filter included •Rear outlet available

Optional accessories

Chimney optional (Steel) KCQAN.00#I Chimney optional (White) KCQAN.00#B Chimney optional (Black) KCQAN.00#N

Remote motors List at p. 209

Carbon.Zeo filtering kit sloped hoods List at p. 215

Wall - 55/85 cm Motor and Control 800 m³/h

3 speed + boost Electronic control Anti-odour filters Charcoal: type 6

Lighting Led 2x1,2 W (3200 K) Energy Class

Sound pressure level

Min. speed 46 dB(A)re1pW Max. speed 58 dB(A)re1pW

Minimum distance from cooker top Gas hob: 52 cm Electric hob: 52 cm

Weight 55 cm version: 17 kg 85 cm version: 25 kg **Wall - 55 cm** Satin white - 800 m³/h **8034122352190** Wall - 55 cm Satin black - 800 m³/h 8034122352213

Wall - 85 cm Satin white - 800 m³/h **8034122350004**

Satin black - 800 m³/h

Wall - 85 cm Satin grey - 800 m³/h 8034122350066

8034122350363

Wall - 85 cm




Satin white glass/ Satin black glass/ Gray glass RAL 7032





The RAL codes have to be considered indicative since production process and materials may alter the colours.










Optional chimney









Flipper Green Tech

•Tempered glass versions with Scotch Brite stainless steel (AISI304) central band •Dynamic Led Light
•Green Tech motor
•Electronic control

Led lighting

•Metallic grease filter, removable and washable Rear outlet available
 Charcoal filter included

Optional accessories

Chimney optional (Steel) KCQAN.00#I Chimney optional (White) KCQAN.00#B Chimney optional (Black) KCQAN.00#N

Remote control 105080053

Remote motors List at p. 209

Carbon.Zeo filtering kit sloped hoods List at p. 215

Wall - 85 cm **Motor and Control**

800 m³/h Green Tech 3 speed + boost

Electronic control

Anti-odour filters Charcoal: ø 192 mm

Lighting
Dynamic Led Light
2x1,2 W (2700-5500 K)
Energy Class

Sound pressure level

Min. speed 45 dB(A)re1pW Max. speed 58 dB(A)re1pW Minimum distance

from cooker top Gas hob: 52 cm Electric hob: 52 cm Weight

25 kg


Wall - 85 cm Satin white - 800 m³/h 8034122101729 Wall - 85 cm Satin black – 800 m³/h 8034122101736











174 175



Verso

- •Tempered white, black or grey
- glass
 •Touch control + 24h function
 •Dynamic Led Light
- •Double suction area (frontal and lower)
- •Frontal opening
 •Metallic grease filter,
- removable and washable
- Charcoal filter included •Rear outlet available

Optional accessories

Chimney optional (White) KCQAN.00#B Chimney optional (Black) KCQAN.00#N

Remote motors List at p. 209

List at p. 215

Carbon.Zeo filtering kit sloped hoods

Wall - 55/85 cm Motor and Control 800 m³/h

3 speed + boost Touch control Anti-odour filters

Charcoal: type 6 Lighting

Dynamic Led Light Led 2x1,2 W (2700-5600 K) Energy Class

Sound pressure level Min. speed 46 dB(A)re1pW

Max. speed 58 dB(A)re1pW Minimum distance from cooker top


Gas hob: 52 cm Electric hob: 52 cm Weight Version 55 cm: 17 kg


Version 85 cm: 19 kg

Wall - 55 cm White - 800 m³/h 8034122358758 Wall - 55 cm

Black - 800 m³/h 8034122358734 Wall - 55 cm Grey - 800 m³/h 8034122361635 Wall - 85 cm White - 800 m³/h 8034122358765

Wall - 85 cm Black - 800 m³/h 8034122358741 Wall - 85 cm Grey - 800 m³/h 8034122361642






Lateral view



Rear view



Optional chimney

















red<mark>dot</mark> design award



Rialto

- •Scotch Brite stainless steel (AISI 304) •Black satin finishing sides
- Led lighting
 Electronic control
- •Top filter removable and
- washable
- Charcoal filter included

Optional accessories

Remote motors List at p. 209

Wall – 55 cm Motor and Control

800 m³/h
3 speed + boost
Electronic control
Anti-odour filters
Charcoal: type 6


Lighting Led 2x1,2 W (3200 K) Energy Class


Sound pressure level

Min. speed 49 dB(A)re1pW Max. speed 59 dB(A)re1pW Minimum distance

from cooker top
Gas hob: 50 cm
Electric hob: 52 cm
Weight
23 kg

Wall - 55 cm h 1000 800 m³/h 8034122363998











Stream

- Scotch Brite stainless steel (AISI 304)
- •Electronic control
- •Led lighting
- •Air Falmec filter for balanced suction
- Charcoal filter included

Optional accessories

Remote motors

List at p. 209 Wall - 90 cm

Motor and Control 800 m³/h 3 speed + boost

Electronic control Anti-odour filters

Charcoal: type 3

Lighting Led 2x1,2 W (3200 K) Energy Class

Sound pressure level Min. speed

49 dB(A)re1pW Max. speed

62 dB(A)re1pW Minimum distance

from cooker top Gas hob: 60 cm Electric hob: 52 cm

Weight 17 kg

Wall - 90 cm 800 m³/h 8034122331317



- •Scotch Brite stainless steel
- •Electronic control
- Led lighting
- •Metallic grease filter,

removable and washable

Optional accessories

Anti-odour filters Filter: Charcoal Type 3 103050107

Remote motors

List at p. 209

Wall - 60/90 cm **Motor and Control**

600 m³/h 3 speed Electronic control

Anti-odour filters Charcoal: type 3 Lighting

Led 2x1,2 W (3200 K)

Energy Class

Sound pressure level Min. speed

49 dB(A)re1pW Max. speed 65 dB(A)re1pW


Minimum distance from cooker top


Gas hob: 63 cm Electric hob: 52 cm

Weight 60 cm version: 14 kg 90 cm version: 15 kg

Wall - 60 cm 600 m³/h 8034122363134

Wall - 90 cm 600 m³/h 8034122363158





Mizar

- Scotch Brite stainless steel (AISI 304) •Electronic control
- Led lighting
- ·Air Falmec filter,
- removable and washable Charcoal filter included

Optional accessories

Remote motors List at p. 209

Wall - 60/90 cm **Motor and Control** 800 m³/h

3 speed + boost Electronic control Anti-odour filters

Charcoal: type 3 Lighting Led 2x1,2 W (3200 K)

Energy Class


Sound pressure level Min. speed

49 dB(A)re1pW Max. speed 62 dB(A)re1pW Minimum distance

from cooker top Gas hob: 60 cm Electric hob: 52 cm

Weight 60 cm version: 15 kg 90 cm version: 17 kg

Wall - 60 cm 800 m³/h 8034122325880 Wall - 90 cm 800 m³/h 8034122326108







Elios

- Scotch Brite stainless steel (AISI 304)
- •Electronic control
 •Led lighting
- •Air Falmec filter for balanced suction
- Charcoal filter included


Optional accessories

Remote motors List at p. 209

Corner 90/100 cm Motor and Control 800 m³/h 3 speed + boost, Electronic control **Anti-odour filters** Charcoal type 6 **Lighting** Led 3x1,2 W (3200 K) **Energy Class** Sound pressure level Min. speed 49 dB(A)re1pW Max. speed 62 dB(A)re1pW Minimum distance from cooker top Gas hob: 65 cm Electric hob: 52 cm Weight 90 cm version: 15 kg

100 cm version: 19 kg

Corner - 90 cm 800 m³/h 8034122341781 Corner - 100 cm 800 m³/h 8034122306322





Ginevra Boston

- Anthracite painted steel with copper front edge •Slider
- •Led lighting
 •Metallic grease filter, removable and washable
- Charcoal filter included

Wall – 90 cm Motor and Control 600 m³/h 3 speed Slider control


Anti-odour filters Charcoal: type 2 Lighting Led 2x2 W (2700 K) Energy Class

Sound pressure level Min. speed 49 dB(A)re1pW

Max. speed 65 dB(A)re1pW Minimum distance from cooker top Gas hob: 60 cm Electric hob: 52 cm

Weight 18 kg

Wall - 90 cm 600 m³/h 8034122409948



X

Design. Built-in.

Built-in hoods, integrated into the wall unit, grant linearity and optimization of the spaces in the kitchen; they are therefore recommended in environments with an essential design or where there is the need to maximize the space on the wall.









Virgola

 Scotch Brite stainless steel or matte black painted steel
 Tempered turning glass flap (smoked glass on black

flap (smoked glass on bl version) •Electronic control

•Dynamic Led Light

•Metallic grease filter, removable and washable

•Charcoal filter included •Rear outlet available

Optional accessories

Anti-oudor filter Filter Carbon.Zeo regenerable KACL.961 Filter Carbon KACL.960

Glass Shelf 60 cm KACL.106 Glass Shelf 90 cm KACL.107 Glass Shelf 120 cm KACL.108

Chimney Steel Version

Telescopic chimney 185+185 mm KCVJN.00#3 Chimney 120 mm KCVJN.01#3

Black Matt Version

Telescopic chimney 185+185 mm KCVJN.00#N Chimney 120 mm KCVJN.01#N

Built-in 60/75/90/120 cm Motor and Control 600 m³/h

3 speed Electronic control Anti-odour filters

Carbon.Zeo regenerable Carbon

LightingDynamic Led Light
60/75/90 cm

2x1,2 W (2700-5600 K) 120 cm 4x1,2 W (2700-5600 K)

Energy Class
B
Sound pressure level
Min. speed

49 dB(A)re1pW Max. speed 65 dB(A)re1pW Minimum distance from cooker top Gas hob: 52 cm Electric hob: 52 cm

Weight
60 cm version: 9 kg
75 cm version: 11 kg
90 cm version: 12 kg

120 cm version: 14 kg


Steel version


Built-in - 60 cm Steel - 600 m³/h 8034122363448 Built-in - 75 cm Steel - 600 m³/h 8034122363530 Built-in - 90 cm Steel - 600 m³/h 8034122363561 Built-in - 120 cm Steel - 600 m³/h 8034122363356

Black matt version


Built-in - 60 cm Black - 600 m³/h 8034122363462 Built-in - 75 cm Black - 600 m³/h 8034122365336 Built-in - 90 cm Black - 600 m³/h 8034122363585 Built-in - 120 cm Black - 600 m³/h 8034122363370

Black/Steel





Side view with optional chimney







Virgola



Virgola Black

186





Move

- •Scotch Brite stainless steel (AISI 304)
- •Black or white tempered glass Sliding door
- Electronic control
- Dynamic Led Light
- •Metallic grease filter,
- removable and washable •Rear outlet available

Optional accessories

Anti-odour filters Filter: Carbon.Zeo regenerable KACL.961

Glass Shelf 60 cm KACL.106 Glass Shelf 90 cm KACL:107 Glass Shelf 120 cm KACL.108

Telescopic Chimney 185+185 mm KCVJN.00#3 Chimney 120 mm KCVJN.01#3

Remote motors

List at p. 209

Built-in - 60/90/120 cm Motor and Control

800 m³/h 3 speed + boost Electronic control

Anti-odour filters Optional Carbon.Zeo filter

Lighting Dynamic Led Light

60 cm: 2x1,2 W (2700-5600 K) 90/120 cm: 3x1,2 W (2700-5600 K) Energy Class

Sound pressure level

Min. speed 49 dB(A)re1pW Max. speed 62 dB(A)re1pW

Minimum distance from cooker top Gas hob: 52 cm Electric hob: 52 cm

Weight

60 cm version: 14 kg 90 cm version: 17 kg 120 cm version: 20 kg White - 800 m³/h 8034122352152 Built-in - 60 cm Black - 800 m³/h 8034122352169 Built-in - 90 cm White - 800 m³/h 8034122352176 Built-in - 90 cm Black - 800 m³/h 8034122352183 Built-in - 120 cm

White - 800 m³/h


8034122353333


Built-in - 120 cm


Black - 800 m³/h


8034122353326


Built-in - 60 cm













Side view with optional chimney







- •Scotch Brite stainless steel (AISI 304)
- •Green Tech motor
- •Black or white tempered glass Sliding door
- •Electronic control
- •Dynamic Led Light
- •Metallic grease filter,
- removable and washable •Rear outlet available

Optional accessories

Anti-odour filters Filter: Carbon.Zeo regenerable KACL.961

Glass Shelf 90 cm KACL.107

Telescopic Chimney 185+185 mm KCVJN.00#3 Chimney 120 mm KCVJN.01#3

Built-in - 90 cm **Motor and Control**

800 m³/h Green Tech 3 speed + boost Electronic control

Anti-odour filters Optional Carbon.Zeo filter

Lighting Dynamic Led Light

3x1,2 W (2700-5600 K)


Energy Class


Sound pressure level Min. speed 48 dB(A)re1pW

Max. speed 62 dB(A)re1pW Minimum distance from cooker top Gas hob: 52 cm


Electric hob: 52 cm Weight 17 kg

Built-in - 90 cm White - 800 m³/h 8034122101828 Built-in - 90 cm Black - 800 m³/h 8034122101835





Side view with optional chimney





Shelf optional





Gruppo Incasso

- Scotch Brite stainless steel (AISI 304)
- Perimeter suction
 Electronic control
- Dynamic Led Light
- Metallic grease filter,
- removable and washable Charcoal filter included

Optional accessories

Remote control 105080053

Remote motors* List at p. 215

Filtering kit Carbon.Zeo

List at p. 215

*800 m³/h version only

Built-in 50/70/105 cm Motor and Control

600 m³/h Electronic control 3 speed 800 m³/h

3 speed + boost Electronic control

Filters antodore Charcoal: type 6 Lighting

Dynamic Led Light 50/70 cm 2x1,2 W (2700-5600 K)

105 cm 4x1,2 W (2700-5600 K)

Energy Class 600 m³/h: C 800 m³/h: B

Sound pressure level Min. speed 49 dB(A)re1pW**

Max. speed

61 dB(A)re1pW** Minimum distance from cooker top

Gas hob: 62 cm Electric hob: 52 cm

Weight

50 cm version: 8 kg 70 cm version: 10 kg 105 cm version: 15 kg

**value refers to 600 m³/h version

8034122353388 Built-in – 50 cm 800 m³/h 8034122353395


Built-in - 70 cm 600 m³/h 8034122353401 Built-in - 70 cm 800 m³/h 8034122353418 Built-in - 105 cm


8034122353371


Built-in - 50 cm

600 m³/h

800 m³/h







Cut-out size 50 cm: 506 mm x 262 mm 70 cm: 751 mm x 262 mm 105 cm: 1029 mm x 262 mm







Gruppo Incasso Green Tech

- •Scotch Brite stainless steel (AISI 304)
- •Green Tech motor
- Perimeter suction
- •Electronic control
- Dynamic Led Light
- •Metallic grease filter, removable and washable
- Charcoal filter included

Optional accessories

Remote control 105080053

Remote motors List at p. 209

Filtering kit Carbon.Zeo List at p. 215

Built-in 50/70 cm **Motor and Control** 800 m³/h Green Tech

3 speed + boost Electronic control

Anti-odour filters Charcoal: ø 192 mm

Lighting
Dynamic Led Light
2x1,2 W (2700-5600 K)
Energy Class

Sound pressure level


61 dB(A)re1pW Minimum distance

Gas hob: 62 cm Electric hob: 52 cm

Min. speed 47 dB(A)re1pW Max. speed from cooker top

Weight 50 cm version: 8 kg 70 cm version: 10 kg

Built-in - 50 cm 800 m³/h 8034122101743 Built-in - 70 cm 800 m³/h 8034122101750



Cut-out size 50 cm: 506 mm x 262 mm 70 cm: 751 mm x 262 mm

Gruppo Incasso Touch Vision

- •Scotch Brite stainless steel (AISI 304)
- •Perimeter suction
- •Ergonomic Touch Vision
- control with color-coded speed Dynamic Led Light
- Metallic grease filter,
- removable and washable Charcoal filter included

Optional accessories

Remote motors List at p. 209

Filtering kit Carbon.Zeo built-in List at p. 215

Built-in 50/70 cm **Motor and Control** 800 m³/h

3 speed + boost Touch Vision control

Anti-odour filters Charcoal: type 6 Lighting Dynamic Led Light

2x1,2 W (2700-5600 K) **Energy Class**


Sound pressure level Min. speed 49 dB(A)re1pW


65 dB(A)re1pW Minimum distance from cooker top Gas hob: 62 cm

Max. speed

Electric hob: 52 cm Weight 50 cm version: 8 kg 70 cm version: 10 kg

Built-in - 50 cm 800 m³/h 8034122359748 Built-in - 70 cm 800 m³/h 8034122359755





Cut-out size 50 cm: 506 mm x 262mm 70 cm: 751 mm x 262 mm



Gruppo Incasso Murano

- •Tempered extra-light white or black glass
- •Perimeter suction •Touch control + 24h function
- Dynamic Led Light •Metallic grease filter, removable and washable
- Charcoal filter included
- •Remote control included

Optional accessories

Remote motors List at p. 209

Filtering kit Carbon.Zeo built-in List at p. 215

Built-in 50/70 cm **Motor and Control** 800 m³/h

3 speed + boost Touch control Anti-odour filters

Charcoal: type 6 Lighting

Dynamic Led Light 2x2,4 W (2700-5600 K) Energy Class

Sound pressure level

Min. speed 49 dB(A)re1pW Max. speed


61 dB(A)re1pW Minimum distance from cooker top


Gas hob: 62 cm Electric hob: 52 cm Weight 50 cm version: 9 kg

70 cm version: 11 kg

Built-in - 50 cm White - 800 m³/h 8034122348391 Built-in - 70 cm White - 800 m³/h 8034122348407

> Built-in - 50 cm Black - 800 m³/h 8034122359458 Built-in - 70 cm Black - 800 m³/h 8034122359465





Cut-out size 50 cm: 506 mm x 262 mm



Built-in

- •Scotch Brite stainless steel Mechanical slider
- Led lighting
- Metallic grease filter, removable and washable

Optional accessories

Anti-odour filters Carbon Filter Type 6 103050091 (pair)

Remote motors List at p. 209

Built-in - 50/70 cm **Motor and Control** 600 m³/h

3 speed

. Mechanic control Anti-odour filters

Charcoal: type 6 Lighting

Led 2x1,2 W (3200 K) Energy Class

Sound pressure level Min. speed


49 dB(A)re1pW Max. speed 65 dB(A)re1pW Minimum distance


from cooker top Gas hob: 64 cm Electric hob: 52 cm

Weight 50 cm version: 7 kg 70 cm version: 9 kg

Built-in - 50 cm 600 m³/h 8034122504391

Built-in - 70 cm 600 m³/h 8034122504407





Cut-out size 50 cm: 506 mm x 262 mm

Black/White





9

Professional.

The hood for haute cuisine.

Powerful motors, professional baffle filters, a receptacle for cooking greases.

A blend of the typical features of the kind of extractor hoods used in the best restaurants, to fit your space and your needs.







Zeus Pro

- Scotch Brite stainless
- steel (AISI 304)
- •Oil collector
 •Electronic control
- Led lighting
- Professional baffle filters ·Back outlet available

Optional accessories

Chimney optional KCQAN.00#I

Remote motors List at p. 209

Motor and Control 950 m³/h 3 speed + boost Electronic control Metallic filters Baffle

Wall - 90/120 cm

Lighting


Led 90 cm: 3x1,2 W (3200 K) 120 cm: 4x1,2 W (3200 K) **Energy Class**


Sound pressure level Min. speed 53 dB(A)re1pW Max. speed 64 dB(A)re1pW Minimum distance

from cooker top Gas hob: 63 cm Elettric hob: 52 cm

120 cm version: 31 kg

Weight 90 cm version: 25 kg Wall - 90 cm 950 m³/h 8034122355313 Wall - 120 cm 950 m³/h 8034122355306







Marte Pro

- Scotch Brite stainless steel (AISI 304)
 •Oil collector
- •Electronic control
- Led lighting •Professional baffle filters

Optional accessories

Remote motors List at p. 209

Wall - 90/120 cm Motor and Control 950 m³/h

3 speed + boost Electronic control

Metallic filters Baffle


Lighting

90 cm: 3x1,2 W (3200 K) 120 cm: 4x1,2 W (3200 K) Energy Class Sound pressure level

Min. speed 53 dB(A)re1pW Max. speed 64 dB(A)re1pW Minimum distance from cooker top Gas hob: 60 cm Electric hob: 52 cm

Weight 90 cm version: 28 kg 120 cm version: 33 kg

Wall - 90 cm 950 m³/h 8034122355221 Wall - 120 cm 950 m³/h 8034122355214









Gruppo Incasso Pro

- •Scotch Brite stainless steel (AISI 304)
- •Oil collector
- •Electronic control
- •Led lighting
- •Professional baffle filters

Optional accessories

Remote control 105080053

Remote motors List at p. 209

Built-in - 80 cm

Motor and Control 950 m³/h 3 speed + boost

Electronic control Metallic filters

Lighting

Dynamic Led Light 4x1,2 W (2700-5600 K) Energy Class

Sound pressure level Min. speed

53 dB(A)re1pW Max. speed


64 dB(A)re1pW Minimum distance

from cooker top Gas hob: 60 cm

Elettrico hob: 52 cm Weight

13 kg

Built-in - 80 cm 950 m³/h 8034122355177



Cut-out size: 762 mm x 245 mm

Line Pro

- •Scotch Brite stainless steel (AISI 304)
- •Oil collector
- •Electronic control
- Led lighting
- •Professional baffle filters



Remote motors List at p. 209

Island - 120 cm Motor and Control

950 m³/h 3 speed + boost

Electronic control Metallic filters Baffle

Lighting Led 6x1,2 W (3200 K)

Energy Class


Sound pressure level Min. speed


53 dB(A)re1pW Max. speed 64 dB(A)re1pW
Minimum distance

from cooker top Gas hob: 63 cm Elettrico hob: 52 cm Weight

42 kg

Island - 120 cm 950 m³/h 8034122355207





Technical notes and accessories.

Falmec air solutions.

Kitchen extraction requires
an accurate assessment of your
technical restraints, functional needs
and particular aesthetic requirements.
In addition to a wide choice of hoods,
Falmec offers a range of accessories
and solutions that guarantee
maximum flexibility in your preferred
choice of hood guaranteeing the best
result every time.



Choosing the right hood.

Technical notes.

Choosing the right hood.

The study of the most suitable solution necessarily involves a preliminary assessment of the technical and aesthetic constraints of the kitchen where it will be inserted, taking into consideration multiple variables.

Distance from cooking hob.

It is suggested to respect the minimum or maximum distance between the hood and the hob, indicated in the catalog for each model.

Air Flow/Suction power.

An important point to check is the required airflow that normally depends on the size of the room and also on the frequency of use of

The correct airflow is obtained by multiplying the room volume by ten, which is the number of air changes recommended every hour. For example, for a 4x4 m kitchen with a height of 2.7 m, the following calculation should be applied: (4 x 4×2.7) x 10 = $432 \text{ m}^3/\text{h}$. Therefore any hood with a suction capacity of 432 m³/h will provide sufficient ventilation.

the hob is recommended.

Perimeter suction.

Fumes are conveyed along the perimeter of the suction area, allowing a higher speed of the air flow and an effective performance. Falmec hoods with perimetral suction are equipped with a steel panel with a sound-absorbing material that reduces noise. This panel, easy to remove, also helps the cleaning and maintenance operations.

Pipes and ducting.

Another fundamental aspect concerns a correct installation and the use of appropriate pipes for the fumes ducting.

Errors or carelessness in the installation can result in a significant drop in performance and an increase in the noise level of the hood.

Airflow friction.

The engine generates an airflow that passes through a pipe, whose walls cause friction, leading to a decrease in performance. For a correct installation and optimal functioning, it is advisable to: ·use rigid pipes with smooth walls and a diameter not smaller than the one indicated:

avoid too long piping (longer than 7 m) and reduce the number of bends to a minimum.


Motor position.

Regardless of the position of the motor (internal, under-roof remote or external remote), the evacuated air flow will always be the same. depending on the friction that it undergoes along the ducting route. There will be a difference in pressure at the inlet and outlet of the piping, but the final result will always be the same. Therefore the installation of a

remote motor (under-roof or external) does not involve any loss of performance.

Dimensions.

To be really effective, the suction surface must cover at least the length of the hob. However, a model that is longer than the surface of



Drawing of a circular pipe through which airflow is circulating

Friction due to curve in the ducting.




Drawing of a 90° circular bend through which airflow is circulating.

Friction due to a change in the section of the ducting (difference in diameter).




Drawing of a constriction in the pipe through which airflow is circulating.


Behaviour of airflow with a remote under-roof motor





Behaviour of airflow with onboard motor.



Behaviour of airflow with the motor at the end of the









Life inspired.

Recirculation or extraction?

Recirculation or extraction?

Each of the two installation options offers features that should be considered when choosing your hood.

Extracting Hoods.

These hoods use a fan to capture the fumes, extract them through a metal grease filter and physically take them out, together with smells and moisture.

Advantages:

- · high airflow;
- humidity is conveyed to the outside;
- high efficiency even at low speeds:
- reduced noise (if the hood has been installed correctly);
- no additional cost for activated charcoal filters (and their periodic replacement).

Disadvantages:

- more complex and not always optimal installation;
- energy waste due to the extraction of the air to the outside.

Extraction hood. The air is channelled through piping to a flue, and from there out of your home.

Recirculating hoods.

These hoods use a fan to capture the fumes, drive them through a grease filter and lead them towards an additional filtering area dedicated to the elimination of odors. The clean air is then conveyed back into the room. Recirculating hoods normally work in multiple filter cycles, requiring more time.

It is therefore advisable to leave the hood switched on longer (compared to extraction hoods) once the cooking operations have been completed.

Advantages:

- easy installation and flexibility in the choice of the hood;
- no additional structural work:
- significant energy savings due to the maintenance of energy in the home environment (waste is avoided).

Disadvantages (traditional filtration):

- humidity deriving from the cooking vapors is not eliminated;
- traditional charcoal filters require frequent replacement;
- generally filtering solutions are significantly noisier (phenomenon due to the non-channeled air flow outlet);
- suction flow rate is reduced by the use of traditional charcoal filters which partially obstruct the flow of air.

Filtering Innovation.

Sensitivity and attention to the quality of the air in domestic environments has led Falmec to invest in research and development of innovative solutions in filtration and air treatment.

These largely solve the contraindications of traditional recirculating solutions, thus representing an effective and real alternative to extraction hoods.



Carbon.Zeo:



Filter hoods.
The air passes through an active carbon filter to be purified, and is then reintroduced into the room.

Motors.

Motors (in-hood).



 $\frac{800 \text{ m}^3/\text{h}}{\text{Motors}}$

Designed and developed to optimise fluid dynamics and consequently performance, the 800 m³/h motor represents excellent extraction capacity, at the same time as offering excellent energy efficiency (class A).

The result is an extremely stable and perfectly balanced motor, thanks to its double support. The shell is created using a particular type of resin with mineral content: an innovative material that guarantees strength and solidity and reduces noise.



950 m³/h High Performance Motors

The 950m³/h High Performance motor offers even greater power to guarantee a superior extraction capacity. This motor is used in the Professional collection, a range designed to offer professional performance in a domestic setting.



Green Tech Motors

Green Tech motors use an electronic control to maximize the performance of the engine in all its phases and conditions of activity, contributing to the reduction of energy losses of the system. Moreover, the use of permanent magnets placed on the motor allows to drastically reduces the absorption of energy by the extractor hood.



Slim Motor (order separately for ceiling hoods and Down Draft)

This is a motor of compact dimensions that saves space and allows integrated hoods to be installed in extremely confined spaces. It guarantees excellent performance and excellent extraction capacity thanks to the use of an extremely efficient double axial motor. It is particularly suited to integrated models in a suspended ceiling or within the kitchen Under base, as in the Down Draft model.



Slim Motor 800 m³/h for ceiling hoods KACL.782#49F

Slim Motor 800 m³/h for Down Draft: KACL.784#46F

Remote motors.

A remote extractor fan is the right choice if you want to reduce the noise of your hood, by distancing the source of the noise, without compromising on extraction performance. Choose between a motor positioned within your home

(remote/under-roof motor) or a motor installed on an external wall (external motor). If the hood already has a motor, this can be removed before installation.


External motor units.

Falmec's external motors stand out due to their compact dimensions, superior efficiency and ease of installation. They are available as separate parts and are compatible wih all models of hood with 800m³/h motors.

External extractor 1000 m³/h

1000 m³/h motor kit. 7 metre electrical cable. Suitable only for hoods with an 800 m³/h motor. Weight: 13 kg


KACL.786#41F



External extractor 1500 m³/h

1500 m³/h motor kit. 7 metre electrical cable. Suitable only for hoods with 800 m³/h motors. Recommended for use with 200 mm diameter pipes. Weight: 15 kg

KACL.796#4AF



Remote in-roof/ indoor motors

These units are available as separate parts for all models of hood equipped with 800 m³/h motors. They can be installed in the roof or in any space in the house.

Remote in-roof motor 950 m³/h

950 m³/h motor kit. 7 metre electrical cable. Suitable only for hoods with 800 m³/h motors (used as remote in-roof motors). Weight: 9 kg

Remote in-roof motor 1100 m³/h


1100 m³/h motor kit.
7 metre electrical cable.
Suitable only for hoods with
800 m³/h motors (used as
remote in-roof motors).
Weight: 8 kg

Remote in-roof motor 1300 m³/h


1300 m³/h motor kit.
7 metre electrical cable.
Suitable only for hoods with
800 m³/h motors (used as
remote in-roof motors).
Recommended for use with
200mm diameter pipes.
Weight: 14 kg


KACL.770#41F KACL.797#4AF





KACL.798#41F





209

Life inspired. Accessories.

Filtration.

Anti-grease Filters.



Metallic Filters.


The anti-grease filter serves the important purpose of trapping cooking grease.
Falmec metal filters have been specifically designed to guarantee excellent grease capture. They have an internal multi-layer aluminium structure composed of corrugated mesh (to maximise the filtering surface).

The frame and the external mesh are made of Scotch Brite stainless steel, a material that maintains a perfect shine over time.



AirFalmec balanced filter system.

Pressure and air velocity in the extraction side of the hood are naturally greater in the areas nearest the motor. Extraction capacity will therefore be more concentrated in the central zone, directly under the extraction motor. This imbalance causes a loss of efficiency, especially in the peripheral areas of the hood. Air Falmec balanced stainless steel filters have been created with a special diminishing honeycomb structure in which the suction holes become gradually larger the further away from the centre they are, allowing the extraction to be redistributed uniformly across the filter surface.




Professional Baffle Filters.

Baffle filters are fitted as standard in all hoods in the Professional collection. Adopted from the world of professional catering, their unique criss-cross structure means that oils and vapours are condensed and channelled into a suitable receptacle that can be easily removed and cleaned.



No-Drop system Filters.

No-Drop filters use innovative technology that finally solves the problem of liquids dripping as cooking vapours condense, an unpleasant and common occurrence, particularly with induction hobs. These filters arranged lengthwise have crisscross blades and have been designed to cause cooking vapours to condense so that they can be channelled and collected in a suitable receptacle.



Top Filters.

TOP grease filters maintain the high retention performance of the metal filters with the addition of a "chessboard" external frame in Scotch Brite steel with a smooth surface that facilitates cleaning and at the same time qualifies the aesthetic appearance.

Internally, they have a multilayer structure of metal mesh made of steel and aluminum designed to have the best pressure drop/filtering efficiency ratio.

Anti-odour filters.



Active Carbon Filters.

Anti-odour filters are installed in all hoods that can be used in filter mode. The active carbons they contain absorb odours created by cooking.

As the filters become less efficient with time, replacement at least every four months is recommended.

Type 3 (rectangular) code 103050107

Type 2 (round) code 103050102 (type 2) (pair)

Type 6 (round) code 103050091 (pair)

Green Tech Ø 192 (round) code 103050093 (pair)



Combined High Performance Filters (Silence - NRS Collection).



Wash in dishwasher with your usual detergent at a temperature not exceeding 65°C, if possible with no other contents. After washing, regenerate the filter in the oven at 80°C for 20 minutes.



Carbon.Zeo Filters.

Carbon.Zeo &

Carbon.Zeo filters use natural materials such as active carbon and zeolite, a mineral of volcanic origin with a microporous crystalline molecular structure that absorbs fumes and unpleasant odours.

On contact with the flow of

vapours, zeolite releases heat, helping to reduce moisture caused by cooking. The Carbon.Zeo combined filter

has a guaranteed minimum life of 3 years, but is expected to last 5 years under conditions of normal use. We recommend that it be regenerated every 18 months by placing it in an oven at 200° C for two hours.

Carbon.Zeo technology filters outgoing air, eliminating not just unpleasant odours, but also moisture from cooking vapours through the use of natural minerals such as active carbon and zeolite.



Ionizing Element E.ion System.

E.ion System

New ionised components should be replaced every 5 years. For replacement information, please see the instruction booklet.

code 2x 105040271

Filtering innovation.

Technology for a better air.

Falmec offers unique, patented solutions for maximum efficiency and performance.

Whether used in extracting or recirculating mode, Falmec cooker hoods satisfy one of our primal needs: breathing. Deep research, design accuracy and the use of unique, exclusive solutions allow total efficiency in operating performance, to guarantee the best air in every environment.

Our focus on air quality and environment matters has led us to develop unique technologies that guarantee all the benefits of filtering solutions without compromising on suction performance and air purity.



Ceiling.

Carbon.Zeo horizontal outlet ceiling filter unit kit.


These parts enable all models of Falmec extractor hood to be installed in filtration mode. The extracted air is channelled, filtered and returned to the room using a kit that can be inserted elegantly into the same false ceiling area as the hood, fitting in harmoniously with the rest of the kitchen. This solution combines aesthetic elegance with outstanding filter performance with a Carbon. Zeo filter, at the same time providing considerable energy savings.

Carbon.Zeos

Furthermore, this kit, which can be installed flush-mounted on the false ceiling, is harmoniously integrated into the kitchen environment thanks to the white painted steel frame and the white satin glass inner panel.

Filter unit KACL.939#BF Spare part KACL.928





Cut-out size 396 mm x 396 mm




Carbon.Zeo vertical outlet ceiling filter unit kit.

This accessory allows the installation in the filtering version of all models of Falmec ceiling hoods that use the Slim motor in the vertical wall of the ceiling to be lowered, minimising the aesthetic impact of the outlet grid.

Filter unit KACL.953#BF Spare part KACL.931

Carbon.Zeo *****⋅

Filter unit KACL.953#BF Spare part KACL.931





Cut-out size 470 mm x 135 mm

Wall.




Filter unit for sloped hoods.


A new product designed to enhance the performance of sloped hoods installed in recirculation mode. Can be installed on the upper part of the following hood models: Quasar, Flipper (no NRS), Tab, Prisma, Diamante, Verso. This accessory can also be used with previously installed hoods to enhance performance. The unit is created in stainless steel AISI 304 or painted black.

Carbon.Zeo %

Filter unit KACL.941 (inox) KACL.958#NF (black) Filter replacement KACL.943




Island.



New filter kit designed to enhance extraction and recirculation efficiency in Falmec chimney island hoods. Carbon.Zeo filters, through the use of natural minerals such as active carbon and zeolite, guarantee excellent results in filtration and at the same time reduce moisture caused by cooking vapours.

Carbon.Zeo %

KACL.949#IF* Filter replacement KACL.934



Built-in/Wall.



Filter unit for built-in hoods.


extraction and recirculation efficiency in all Falmec built-in hoods. Carbon.Zeo filters, through the use of natural minerals such as active carbon and zeolite, guarantee excellent results in

New filter kit designed to enhance


filtration and at the same time reduce moisture caused by cooking vapours.

Carbon.Zeo %

Filter unit KACL.950 Filter replacement KACL.934



Filter unit




Under base.

Under base filter unit

Under base filter solutions are equipped with Carbon.Zeo technology and are installed under the kitchen plinth to enhance the filter capacity of Falmec solutions.

Under base filter unit KACL.930 Filter replacement KACL.931






Under base Slim filter unit (h60 mm)

This solution is designed to achieve the best filter performance even in kitchens with a reduced height plinth of as little as 6cm. The solution uses filtration technology with cellular charcoal, giving a product life of 5 years. We recommend that you reactivate the filter once a year by placing it in the oven at 160° C for a hour. Filter can be regenerated up to 5 times.

Under base filter unit slim h60mm KACL.951 Filter replacement KACL.952 Base grid KACL.955





Life inspired.

Filter chart.

Hood	Carbon filter (Spare parts)	Carbon.Zeo		
		Filtering kit	Spare parts	
		KACL.939#BF	KACL.928	
Alba	-	KACL.953#BF	KACL.931	
Altair	103050091	_	_	
Aura	KACL.935	_	_	
Built-in	103050091	_		
Cielo	KACL.935	_	_	
Collezione Mirabilia	103050091	_	_	
Cover	103030091		KACL.961	
Dama		-	KACL.901	
	102050001	-	NAGL:944	
Elios	103050091	-	-	
Elle	-	-	KACL.961	
Eolo E.ion	-	-	101078810	
Europa	103050107	-	-	
Exploit	103050107			
Flipper	103050091	KACL.941	KACL.943	
Flipper Green Tech	103050093	KACL.941	KACL.943	
Flipper NRS	101078897	-	-	
Gr. Incasso	103050091	KACL.950	KACL.934	
Gr. Incasso E.ion	-	-	101078810	
Gr. Incasso Green Tech	103050093	KACL.950	KACL.934	
Gr. Incasso Murano	103050091	KACL.950	KACL.934	
Gr. Incasso No-Drop	103050091	-	-	
Gr. Incasso NRS	-	-	KACL.961	
Gr. Incasso Touch Vision	103050091	KACL.950	KACL.934	
Laguna	103050091	-	-	
Levante	-	-	KACL.944	
Light	-	_	KACL.964	
Loop	_	_	KACL.944	
Luce (Island)	103050107	KACL.949#IF	KACL.934	
Luce (Wall)	103050107	-	KACL.948#IF	
Lumen (Island 90)	103050107	KACL.949#IF	KACL.934	
Lumen (Island 120)	103050107	KACL.949#IF	KACL.934	
Lumen (Wall 90)	103050107	100L.949#II	KACL.934	
Lumen (Wall 120)	103050107	-	KACL.940#11	
	103030107		······	
Lumen Island 175	-	-	KACL.961	
Lumen Island 175 NRS	-	-	KACL.961	
Lumière E.ion	-	-	101078810	
Lumen NRS		-	KACL.961	
Lumina NRS	-	-	KACL.961	
Mare E.ion	-	-	101078810	
Mira	103050091	-	-	
Mira White/Black	103050091	-	-	
Mizar	103050107	-	KACL.948#IF	
Move/Move Green Tech	-	-	KACL.961	
Nube		KACL.939#BF	KACL.928	
	-	KACL.953#BF	KACL.931	
		KACL.939#BF	KACL.928	
Nuvola Led 140	-			
		KACL.953#BF	KACL.931	
Nuvola Led 90	_	KACL.939#BF	KACL.928	
		KACL.953#BF	KACL.931	
Plane (Island)	103050107	KACL.949#IF	KACL.934	

Hood	Carbon filter	Carbon.Zeo		
nood	(Spare parts)	Filtering kit	Spare parts	
Plane (Wall)	103050107	-	KACL.948#IF	
Plane Green Tech (Island)	103050107	KACL.949#IF	KACL.934	
Plane No-Drop	-	-	KACL.961	
Plane Green Tech (Wall)	103050107	-	KACL.948#IF	
Plane NRS/Plane Black NRS	-	-	KACL.961	
Plane Top	103050107	-	KACL.948#IF	
Plane White/Black (Island)	103050107	-	-	
Plane White/Black (Wall)	103050107	-	KACL.948#IF	
Polar	103050091	-	-	
Polar Black/White	103050091	-	-	
Polar Copper/Gold	103050091	-	-	
Polar Light	103050091	-	-	
Polar X	103050091	-	-	
Prestige	103050091	-	-	
Prisma	103050091	KACL.941/KACL.958#NF	KACL.943	
Quasar	103050091	KACL.941/KACL.958#NF	KACL.943	
Quasar Green Tech	103050093	KACL.941/KACL.958#NF	KACL.943	
Quasar Top	103050091	KACL.941	KACL.943	
Rialto	103050091	-	-	
Rubik E.ion	-	-	101078810	
	-	KACL.939#BF	KACL.928	
Sirio		KACL.953#BF	KACL.931	
	-	KACL.939#BF	KACL.928	
Skema		KACL.953#BF	KACL.931	
Soffio	-	-	KACL.944	
Sophie	-	_	KACL.944	
Spazio	-	-	KACL.944	
opazio		KACL.939#BF	KACL.928	
Stella	-	KACL.953#BF	KACL.931	
Stream	103050107	rage.aug#df	KACL.931	
Tab	10305007	_	-	
Twister E.ion	-	-	101078810	
Vega	-		KACL.944	
Verso	103050091	KACL.941/KACL.958#NF	KACL.943	
Verso NRS	-	-	KACL.959	
Vetra	_	_	KACL.944	
Virgola/Virgola Black	KACL.960	_	KACL.944	
Virgola No-Drop	-	_	KACL.961	
Virgola NRS	-		KACL.961	
Zenith NRS	_	_	KACL.961	
Zephiro E.ion			101078810	

Accessories.

Life inspired.

Extra-length.

For kitchens with particularly high ceilings, Falmec offers a solution that allows you to maintain the maximum advised distance between the hood and the hob without compromising on an elegant and aesthetic result.



H 700 Wall.

KACL.510#I

H 850.

Lumen - Mizar - Plane Plane Green Tech Stream - Luce

Elios angolo KACL.560#I

Exploit - Plane Top KACL.510#X

Lumina NRS - Plane NRS Flipper NRS Plane No-Drop KACL.570#I

Mirabilia KACL.575#I

H 960 Wall.

H 1200 Island.

Lumen - Mizar - Plane Plane Green Tech Stream - Luce KACL.512#I

Lumen Lumen Island 175 - Plane Plane Green Tech - Luce Plane No-Drop - Elle KACL.557#I

Exploit - Plane Top KACL.512#X

Exploit - Plane Top KACL.557#X

Lumina NRS - Plane NRS Flipper NRS - Plane No-Drop KACL.571#I

Mirabilia 85 KACL.553#I

Verso NRS KACL.571#B KACL.571#N KACL.571#I

Lumina NRS - Plane NRS Lumen NRS - Lumen 175 NRS KACL.572#I

Mirabilia KACL.576#I KACL.557#N

Plane White KACL.512#B Plane White KACL.557#B

Plane Black KACL.512#N

It is only suitable for hood models with 800 m3/h motors,

Available in three versions for wall mounted hoods and island

long and 150mm in diameter to direct the air towards the Deflector.



Silencer /Conveyer NRS KACL.400



Island. KACL.866

Verso

Verso NRS

Zenith NRS



Wall. KACL.864



Wall. KACL.865

Accessories.

Conveyers for recirculation models.

The Conveyer (in recirculation hoods) allows better distribution of AIU, optimising airflow and reducing turbulence, which is often a cause of noise. equipped with regular charcoal filters (type 3 or 6).

hoods.

The kit includes a tube 300mm

Cappa KACL.400 KACL.866 KACL.864 KACL.865 Altair Collection Mirabilia Europa Exploit Flipper Flipper Green Tech Flipper NRS Luce (Island) Luce (Wall) Lumen (Island 90) Lumen (Island 120) Lumen (Wall 90) Lumen (Wall 120) Lumen Island 175 Lumina NRS Mira (Island/Wall) Mira White/Black Mizar Plane (Island) Plane (Wall) Plane Green Tech (Island) Plane Green Tech (Wall) Plane NRS Plane Top Plane White/Black (Island) Plane White/Black (Wall) Quasar Quasar Green Tech Quasar Top Stream Tab

Ducting accessories.



Rigid flat pipe KACL.381 150x70x1200 KACL.352 220x90x1200 KACL.331 220x60x1500



Rigid round pipe KACL.382 ø125x1200 KACL.358 ø150x1200 KACL.340 ø200x1200



Circular/flat bend KACL.387 ø125/150x70 KACL.371 ø150/220x90



Circular/flat connector KACL.388 ø125/150x70 KACL.376 ø150/220x90 KACL.338 ø125/220x60



Flat junctions KACL.383 150x70 KACL.356 220x90 KACL.333 220x60



Round junctions KACL.384 Ø125 KACL.380 Ø150 KACL.342 Ø200



Horizontal/flat elbow KACL.385 150x70 KACL.367 220x90 KACL.335 220x60



Flexible ducting belt KACL.363 ø125 KACL.364 ø150



Round bend KACL.390 ø125 KACL.391 ø150 KACL.341 ø200



Connector KACL.343 ø150/ø200 103040201 ø125/ø150



Vertical/rectangular elbow KACL.386 150x70 KACL.369 220x90



Aluminium pipe extendable to up to 3m KACL.359 ø125 x 800-3000 KACL.360 ø150 x 800-3000



Flange for motors and high power extractor (1500 - 1300 m³/h) KACL.396 ø200



Rectangular duct holder KACL.389 150x70 KACL.362 220x90



Gravity wings grid KACL.348 ø125/ø150



Base grid for Under base filter h60 mm KACL.955 500x60

Operation and maintenance.

Remote control.


In order to operate all its ceiling models in maximum comfort, Falmec offers free remote control with a display that allows you to manage the different functions of the hood.

105080053



Turning on and using the hood.

We recommend that you turn on the hood a few minutes before beginning to cook, and that you turn it off several minutes after you have finished. This guarantees the maximum efficiency in the extraction of cooking fumes and steam.



Maintenance.

The internal duct should be cleaned once a year. The filters require a different procedure: for metallic anti-grease filters a cycle in the dishwasher at 45°C is sufficient. This should be done as and when required. Carbon filters should be replaced every four months. High Performance carbon filters should be washed in the dishwasher at a temperature no higher than 65°C, if possible with no other items. After washing, they should be reactivated in the oven at 80°C for 20 minutes. Carbon.Zeo filters should be reactivated in the oven at 150°C for approximately an hour every 18 months. They should be replaced every 3 years. lonising elements should be replaced every 5 years.

Steel cleaning.

Falmec uses only materials of the highest quality to create its hoods. For this reason it is important to care for them using the most suitable products, in order to guarantee a perfect finish and long-lasting wear. For models created in stainless steel, Falmec has created unique cleaning wipes that give extra shine to your hood. They are impregnated with a special mix of oils that prevent dirt particles from being deposited and prevent fingerprints marks, giving a clean, shining finish. The hood can be washed with hot water and a neutral detergent. Once dry, simply wipe down with Magic Steel wipes in the direction of the satin finish, buff with a soft cloth (still in the direction of the finish) and leave to dry.

Magic Steel protective wipes for stainless steel surfaces.

KACL.815 (box 10 pz)



221

Ceiling hood installation options.

Falmec ceiling hoods guarantee elegance, minimalism and superior extraction efficiency (in both extraction and filter modes) using the most suitable motor and exclusive Carbon. Zeo ceiling filter kits. Falmec's solutions are intelligent and flexible, making installation



Watch our video tutorial on ceiling hood installation in extracting mode.




Watch our video tutorial on ceiling hood installation in recirculating mode.

Hood-top motors.

Motors installed on the hood


KACL.798#41F - 950 m3/h KACL.770#41F - Brushless 1100 m3/h Use with 150Ø pipes



Slim motor installed on the hood

KACL.782#49F - Slim 800 m3/h Use with flat 220x90mm pipes


Internal in-roof motor.



Internal in-roof motor with round ducting

KACL.798#41F - 950 m3/h KACL.770#41F - Brushless 1100 m3/h Use with 150Ø pipes

KACL.797#4AF - 1300 m3/h Use with 200Ø pipes and flange (KACL.396)




Indoor in-roof motor with flat ducting

KACL.798#41F - 950 m3/h KACL.770#41F - Brushless 1100 m3/h Use with flat 220x90mm pipes

Important: if flat ducting is used you will need KACL.789 and KACL.376 junctions.

External extractor.




External extractor with round ducting

KACL.786#41F - 1000 m3/h Use with 150Ø pipes

KACL.796#4AF - 1500 m³/h Use with 200Ø pipes and flange (KACL.396)

*The external extractor fan must be positioned protected from atmospheric agents.

Recirculating mode.



Slim motor with Carbon.Zeo filter unit.

KACL.782#49F - Slim 800 m3/h Use with flat 220x90mm pipes

KACL.939#BF - Carbon.Zeo Filter Kit

Adjustable direction air outlets.





Slim motor unit

4 directions (according to motor placement)



Junctions.

Flange KACL.396 ø200



220x90 mm



Round/rectangular junction ø150/220x90



External extractor fan with flat ducting

KACL.786#41F - 1000 m3/h Use with flat 220x90mm pipes

KACL.796#4AF - 1500 m3/h Use with 200Ø pipes and flange (KACL.396)

Important: if flat ducting is used you will need KACL.789 and KACL.376 junctions.

*The external extractor fan must be positioned protected from atmospheric agents.

Slim motor with Carbon.Zeo vertical filter unit

KACL.782#49F - Slim 800 m³/h Use with flat 220x90mm pipes

KACL.931#BF - Vertical Carbon.Zeo filtering kit

Technical drawings.

Life inspired.


Technical drawings.








Lumina NRS - Plane NRS.



Mirabilia Round.

Alternative outlet: engine protrudes into the wall for 10mm




Move.

Prisma.

Alternative outlet: engine protrudes into the wall for 10mm






Alternative outlet: engine protrudes into the wall for 10mm

Alternative outlet: engine protrudes into the wall for 10mm

Flipper NRS.




Verso.


Virgola.

Upper outlet: remove 165x165 mm patch.

Mira.




Quasar - Quasar Top Quasar Green Tech.




Rialto h100.

Rialto h82.


Polar - Polar Light Polar White/Black.






Zeus Pro.


Rear outlet: remove 385x164 mm patch.





Exploit - Mizar - Plane - Plane Top Luce - Plane White/Black - Plane Green Tech.

Alternative outlet: engine protrudes into the wall for 10mm



Versions 600 m³/h

Versions 800 m³/h

Life inspired.

Falmec declines all responsibility for any inaccuracies contained in this catalogue that are due to typos and copying errors. This catalogue supersedes and replaces all previous ones.

Falmec Spa hereby reserves the right to make - at any moment and without prior notice - all the technical, aesthetic and fuctional alterations to the products that it believes necessary for their improvement.

Models, images and technical solutions presented in this

solutions presented in this catalogue are protected by industrial property rights.

The printing process do not always permit a faithful reproduction of tones and materials of original.

This catalogue is the exclusive property of Falmec Spa. All rights are reserved. Any form of total or partial reproduction of this catalogue is stricty forbidden.



Life inspired.

Falmec S.p.A

via dell'Artigianato, 42 z.i. 31029 Vittorio Veneto Treviso — Italy info@falmec.com falmec.com

Credits

Photo Contratti Company Eye Studio Nudesign Lalavatriceblu

Stylist Vanda Gemino Eye Studio

Copy Dana Cukier Daniele Varelli Claim Brand Industry

Graphic design Designwork

Falmec S.p.A

via dell'Artigianato, 42 z.i. 31029 Vittorio Veneto Treviso — Italy info@falmec.com falmec.com